

PUBLICATIONS: W. CLEGG 2004

- 850.** Synthesis and X-ray crystal structures of hydridotris(3,5-dimethylpyrazolyl)borate (Tp') molybdenum(VI) bis(imido) complexes
V. C. Gibson, C. Redshaw, W. Clegg, M. R. J. Elsegood, U. Siemeling and T. Türk.
Polyhedron 2004, **23**, 189–194.
- 851.** New 1- and 2-dimensional polymeric structures of cyanopyridine complexes of Ag^I and Cu^I
P. Lin, R. A. Henderson, R. W. Harrington, W. Clegg, C.-D. Wu and X.-T. Wu.
Inorg. Chem. 2004, **43**, 181–188.
- 852.** A convenient route to lanthanide triiodide THF solvates. Crystal structures of LnI₃(THF)₄ [Ln = Pr] and LnI₃(THF)_{3.5} [Ln = Nd, Gd, Y]
K. Izod, S. T. Liddle and W. Clegg.
Inorg. Chem. 2004, **43**, 214–218.
- 853.** Structure Reports Online: a continuing growth and success story
D. G. Watson and W. Clegg.
Acta Cryst. 2004, **E60**, e1.
- 854.** Synthesis, characterization and reactivity of the molybdenum(VI) complex [MoCl(NAr)₂(CH₂CMe₂Ph)] (Ar = 2, 6-Prⁱ₂C₆H₃)
V. C. Gibson, C. Redshaw, G. P. L. Walker, W. Clegg and M. R. J. Elsegood.
J. Organomet. Chem. 2004, **689**, 332–344.
- 855.** A second tetragonal polymorph of bis(tetra-*n*-butylammonium) tetrakis[chloro(μ₃-sulfido)copper(I)]molybdate(VI)
W. Clegg, N. R. Brooks, M. H. Sadr, M. Esm-Hosseini and R. Yavari.
Acta Cryst. 2004, **E60**, m204–m206.
- 856.** Crystal structures of dicarboxy-2,2'-bipyridyl complexes: the role of hydrogen bonding and stacking interactions
C. J. Matthews, M. R. J. Elsegood, G. Bernardinelli, W. Clegg and A. F. Williams.
J. Chem. Soc. Dalton Trans. 2004, 492–497.
- 857.** Tris(tetraethylammonium) tris(μ₃-sulfido)bis[bromocopper(I)][dibromocopper(I)]oxomolybdate(VI) acetone solvate
A. Beheshti, N. R. Brooks, W. Clegg and R. Khorramdin.
Acta Cryst. 2004, **E60**, m231–m233.
- 858.** 1-2-[4-(2,4-Dinitrophenyl)piperazin-1-yl]ethyl-4-aza-1-azoniabicyclo[2.2.2]octane chloride
W. Clegg, B. T. Golding, R. Scott and R. W. Harrington.
Acta Cryst. 2004, **E60**, o291–o293.
- 859.** Arene-perfluoroarene interactions in crystal engineering: structural preferences in polyfluorinated tolans
C. E. Smith, P. S. Smith, R. Ll. Thomas, E. G. Robins, J. C. Collings, C. Dai, A. J. Scott, S. Borwick, A. S. Batsanov, S. W. Watt, S. J. Clark, C. Viney, J. A. K. Howard, W. Clegg and T. B. Marder.
J. Mater. Chem. 2004, **14**, 413–420.
- 860.** Synthesis and characterization of two pentanuclear complexes (NEt₄)₂[MS₄(CuBp)₄] (M = Mo, W; Bp = H₂B(pyrazolyl)₂) and crystal structure determination of (NEt₄)₂[WS₄(CuBp)₄]
M. H. Sadr, W. Clegg and H. R. Bijhanzade.
Polyhedron 2004, **23**, 637–641.

- 861.** Synthesis and structural characterisation of a novel phosphine-borane-stabilised dicarbanion and an unusual bis(phosphine-borane)
K. Izod, W. McFarlane, B. V. Tyson, W. Clegg and R. W. Harrington.
Chem. Commun. 2004, 570–571.
- 862.** Self-assembly of a spin-coupled octanuclear copper(II) circular array from a single-stranded ligand
S. T. Onions, S. L. Heath, D. J. Price, R. W. Harrington, W. Clegg and C. J. Matthews.
Angew. Chem. Internat. Edit. Engl. 2004, **43**, 1814–1817.
- 863.** 2,6-Diarylamino-tetrahydropyrans from reactions of glutaraldehyde with anilines: models for biomolecule cross-linking
A. P. Henderson, C. Bleasdale, W. Clegg and B. T. Golding.
Chem. Res. Toxicol. 2004, **17**, 378–382.
- 864.** Complexes of heterocyclic thiones and group 12 metals: Part VI. Preparation and characterisation of complexes of cadmium(II) halides with 1-methylimidazole-2(3H)-thione, 1,3-thiazolidine-2-thione and 1,3-benzothiazolidine-2-thione. Crystal structures of polymeric (1,3-thiazolidine-2-thione)cadmium(II) chloride, bis(1,3-thiazolidine-2-thione)cadmium(II) iodide and monomeric bis(1-methylimidazole-2(3H)-thione)cadmium(II) bromide
N. A. Bell, W. Clegg, S. J. Coles, C. P. Constable, R. W. Harrington, M. B. Hursthouse, M. E. Light, E. S. Raper, C. Sammon and M. R. Walker.
Inorg. Chim. Acta 2004, **357**, 2091–2099.
- 865.** Dimeric aluminum chloride complexes of *N*-alkoxyalkyl- β -ketoimines: activation with propylene oxide to form highly active lactide polymerization catalysts
S. Doherty, R. J. Errington, N. Housley and W. Clegg.
Organometallics 2004, **23**, 2382–2388.
- 866.** Proton transfer to nickel-thiolate complexes. 1. Protonation of
[Ni(SC₆H₄R-4)₂(Ph₂PCH₂CH₂PPh₂)] (R = Me, MeO, H, Cl, or NO₂)
V. Autissier, W. Clegg, R. W. Harrington and R. A. Henderson.
Inorg. Chem. 2004, **43**, 3098–3105.
- 867.** Proton transfer to nickel-thiolate complexes. 2. Rate-limiting intramolecular proton transfer in the reactions of [Ni(SC₆H₄R-4)(PhP{CH₂CH₂PPh₂})₂]⁺ (R = NO₂, Cl, H, Me, or MeO)
V. Autissier, P. M. Zarza, A. Petrou, R. A. Henderson, R. W. Harrington and W. Clegg.
Inorg. Chem. 2004, **43**, 3106–3115.
- 868.** Unusual C–H allylic activation in the {Pt^{II}(cod)} fragment bonded to a {Pt₂(μ -S)₂} core
R. Mas-Ballesté, P. A. Champkin, W. Clegg, P. González-Duarte, A. Lledós and G. Ujaque.
Organometallics 2004, **23**, 2522–2532.
- 869.** Synthesis and reactions of sterically encumbered, heteroleptic lanthanum phosphides. Structural characterization of [{(Me₃Si)₂CH}(C₆H₄-2-CH₂NMe₂)P]₂La(OR) and [{(Me₃Si)₂CH}(C₆H₄-2-CH₂NMe₂)P]La(THF)[P(C₆H₄)-2-CH₂NMe₂]{CH(SiMe₃)(SiMe₂CH₂)}
[R = *i*-Pr, *t*-Bu]
K. Izod, S. T. Liddle, W. McFarlane and W. Clegg.
Organometallics 2004, **23**, 2734–2743.
- 870.** An Excel spreadsheet for a one-dimensional Fourier map in X-ray crystallography
W. Clegg.
J. Chem. Ed. 2004, **81**, 908–911.
- 871.** (*E*)-2-[2-(4-Methylphenyl)ethenyl]-1,3,2-benzodioxaborole
W. Clegg, A. J. Scott, C. Wiesauer, W. Weissensteiner and T. B. Marder.
Acta Cryst. 2004, **E60**, o1172–o1174.

- 872.** (*E*)-2-[2-(4-Trifluoromethylphenyl)ethenyl]-1,3,2-benzodioxaborole
W. Clegg, A. J. Scott, C. Wiesauer, W. Weissensteiner and T. B. Marder.
Acta Cryst. 2004, **E60**, o1175–o1177.
- 873.** Bis[bis(dicyclohexylphosphino)ethane- κ^2P,P']gold(I) chloride chloroform tetrasolvate
W. Clegg, A. J. Scott, C. Wiesauer, W. Weissensteiner and T. B. Marder.
Acta Cryst. 2004, **E60**, m968–m970.
- 874.** Structure and phase behavior of a 2:1 complex between arene- and fluoroarene-based conjugated rigid rods
S. W. Watt, C. Dai, A. J. Scott, J. M. Burke, R. L. Thomas, J. C. Collings, C. Viney, W. Clegg and T. B. Marder.
Angew. Chem. Internat. Edit. Engl. 2004, **43**, 3061–3063.
- 875.** Synthesis, optical properties, crystal structures and liquid crystal phase behaviour of selectively fluorinated 1,4-bis(4'-pyridylethynyl)benzenes, 4-(phenylethyl)pyridines and 9,10-bis(4'-pyridylethynyl)anthracene, and a Zn(NO₃)₂ coordination polymer
T. M. Fasina, J. C. Collings, D. P. Lydon, D. Albesa-Jove, A. S. Batsanov, J. A. K. Howard, P. Nguyen, M. Bruce, A. J. Scott, W. Clegg, S. W. Watt, C. Viney and T. B. Marder.
J. Mater. Chem. 2004, **14**, 2395–2404.
- 876.** 6-Methyl-2-pyridone pentahydrate
W. Clegg and G. S. Nichol.
Acta Cryst. 2004, **E60**, o1433–o1436.
- 877.** A novel route to multinuclear d⁸ metal-chalcogen compounds with nuclearity control
R. Mas-Ballesté, W. Clegg, A. Lledós and P. González-Duarte.
Eur. J. Inorg. Chem. 2004, 3223–3227.
- 878.** Protonation of a lanthanum phosphide-alkyl occurs at the P—La not the C—La bond: isolation of a cationic lanthanum alkyl complex
K. Izod, S. T. Liddle and W. Clegg.
Chem. Commun. 2004, 1748–1749.
- 879.** Heavier alkali metal complexes of 2-phenylamidopyridine: an X-ray crystallographic and theoretical study of a structurally diverse series of crown ether adducts
S. T. Liddle, W. Clegg and C. A. Morrison.
J. Chem. Soc. Dalton Trans. 2004, 2514–2525.
- 880.** Exo- π -bonding to an *ortho*-carborane hypercarbon atom: systematic icosahedral cage distortions reflected in the structures of the fluoro-, hydroxy- and amino-carboranes, 1-X-2-Ph-1, 2-C₂B₁₀H₁₀ (X = F, OH or NH₂) and related anions
L. A. Boyd, W. Clegg, R. C. B. Copley, M. G. Davidson, M. A. Fox, T. G. Hibbert, J. A. K. Howard, A. Mackinnon, R. J. Peace and K. Wade.
J. Chem. Soc. Dalton Trans. 2004, 2786–2799.
- 881.** A homologous series of regioselectively tetradeprotonated group 8 metallocenes: new inverse crown ring compounds synthesized via a mixed sodium-magnesium tris(diisopropylamide) synergic base
P. C. Andrikopoulos, D. R. Armstrong, W. Clegg, C. J. Gilfillan, E. Hevia, A. R. Kennedy, R. E. Mulvey, C. T. O'Hara, J. A. Parkinson and D. M. Tooke.
J. Am. Chem. Soc. 2004, **126**, 11612–11620.
- 882.** (Dibenzo-18-crown-6)(2-phenylamidopyridine)rubidium(I)
S. T. Liddle and W. Clegg.
Acta Cryst. 2004, **E60**, m1492–m1494.

- 883.** (Dibenzo-18-crown-6)(2-phenylamidopyridine)potassium(I)
S. T. Liddle and W. Clegg.
Acta Cryst. 2004, **E60**, m1495–m1497.
- 884.** Diffraction theory
W. Clegg.
Synchrotron Radiation Summer School 2004, unnumbered pages.
- 885.** Small-molecule single-crystal diffraction
W. Clegg.
Synchrotron Radiation Summer School 2004, unnumbered pages.
- 886.** Bis[μ -2-(phenylamido)pyridine]bis{[2-(phenylamino)pyridine]lithium(I)}
W. Clegg and S. T. Liddle.
Acta Cryst. 2004, **E60**, m1587–m1589.
- 887.** Monocarbaborane anion chemistry. {COOH}, {CH₂OH} and {CHO} units as functional groups on ten-vertex monocarbaborane anionic compounds
A. Franken, M. J. Carr, W. Clegg, C. A. Kilner and J. D. Kennedy.
J. Chem. Soc. Dalton Trans. 2004, 3552–3561.
- 888.** Synthesis, crystal structures and spectroscopic characterization of two neutral heterobimetallic clusters MS₄Cu₄(pz^{Me2})₆Cl₂ (where M = Mo (1) or W (2), X = Cl (1) or disordered Cl/Br (2), and pz^{Me2} = 3,5-dimethylpyrazole)
A. Beheshti, N. R. Brooks, W. Clegg and S. E. Sichani.
Polyhedron 2004, **23**, 3143–3146.
- 889.** Hydrogen-bonded network and layered supramolecular structures assembled from ClO₄⁻ counterions with unprecedented monomeric [AgL₂]⁺ and chain polymeric [AgL₂]_n⁺ complex cations (L = thioamide or thiourea-like ligands)
J. Sola, A. López, R. A. Coxall and W. Clegg.
Eur. J. Inorg. Chem. 2004, 4871–4881.
- 890.** Tetraethylammonium [1-methylimidazoline-2(3*H*)thione]copper(I)-di- μ -sulfido-dioxotungstate(VI)
A. Beheshti, N. R. Brooks, W. Clegg and R. Khorrmdin.
Acta Cryst. 2004, **E60**, m1923–m1926.
- 891.** Bis(tetra-*n*-butylammonium) tetrakis[chloro(μ ₃-sulfido)copper(I)]tungstate(VI): a second polymorph
N. R. Brooks, W. Clegg, M. Esm-Hosseini, M. Hossaini Sadr and R. Yavari.
Acta Cryst. 2004, **E60**, m1952–m1954.
- 892.** A sterically constrained bis(2,2':6',2''-terpyridine) ligand
A. C. Benniston, W. Clegg, R. W. Harrington and P. Li.
Acta Cryst. 2004, **E60**, o2452–o2454.
- 893.** Complexes of a dianionic bis(diphosphinomethanide) with lithium, sodium, potassium and zirconium. Effect of substitution on the Schlenk dimerisation of vinylidene phosphines
K. Izod, W. McFarlane, B. V. Tyson, W. Clegg and R. W. Harrington.
J. Chem. Soc. Dalton Trans. 2004, 4074–4078.
- 894.** Complexes of the heavier alkaline earth metals Ca, Sr, and Ba with O-functionalized phosphanide ligands
S. Blair, K. Izod, W. Clegg and R. W. Harrington.
Inorg. Chem. 2004, **43**, 8526–8531.

- 895.** Structural chemistry of halogenated monocarbaboranes: the extended structures of Cs[1-HCB₉H₄Br₅], Cs[1-HCB₁₁H₅Cl₆] and Cs[1-HCB₁₁H₅Br₆]
A. Franken, N. J. Bullen, T. Jelínek, M. Thornton-Pett, S. J. Teat, W. Clegg, J. D. Kennedy and M. J. Hardie.
New J. Chem. 2004, **28**, 1499–1505.