

PUBLICATIONS: W. CLEGG 2006

941. Synthesis, crystal structure, and solution behavior of a sterically hindered  $\alpha$ -metalated phosphine-borane  
K. Izod, C. Wills, W. Clegg and R. W. Harrington.  
*Organometallics* 2006, **25**, 38–40.
942. Alkali metal complexes of sterically hindered mono- and di-carbanions containing Si–O bonds  
L. J. Bowman, K. Izod, W. Clegg, R. W. Harrington, J. D. Smith and C. Eaborn.  
*Dalton Trans.* 2006, 502–508.
943. Bifunctional perfluoroaryl boranes: synthesis and coordination chemistry with neutral Lewis base donors  
P. A. Chase, L. D. Henderson, W. E. Piers, M. Parvez, W. Clegg and M. R. J. Elsegood.  
*Organometallics* 2006, **25**, 349–357.
944. Preparative and structural studies on sulfur-linked carborane icosahedra: 2-phenyl-*ortho*-carboranyl-sulfur systems (2-Ph-1,2-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>)<sub>2</sub>X (X = S, S<sub>2</sub> or SO), and *ortho*-carboran-di-yl systems (1,2-C<sub>2</sub>H<sub>10</sub>H<sub>10</sub>Y)<sub>2</sub> (Y = S or SO)  
A. S. Batsanov, W. Clegg, R. C. B. Copley, M. A. Fox, W. R. Gill, R. S. Grimditch, T. G. Hibbert, J. A. K. Howard, J. A. H. MacBride and K. Wade.  
*Polyhedron* 2006, **25**, 300–306.
945. A tetraazamacrocyclic with benzyl substituents  
J.-H. Choi, W. Clegg, R. W. Harrington, H.-M. Yoon and Y. P. Hong.  
*Acta Cryst.* 2006, **E62**, o644–o646.
946. Two complexes of copper(II) salts with 5-amino-3-(pyrid-2-yl)-1*H*-pyrazole, the prototype for a new class of ditopic ligand  
C. M. Pask, K. D. Camm, N. J. Bullen, M. J. Carr, W. Clegg, C. A. Kilner and M. A. Halcrow.  
*Dalton Trans.* 2006, 662–664.
947. The importance of weak C—H...O bonds and  $\pi \cdots \pi$  stacking interactions in the formation of organic 1,8-bis(dimethylamino)naphthalene complexes with  $Z' > 1$   
G. S. Nichol and W. Clegg.  
*Cryst. Growth Des.* 2006, **6**, 451–460.
948. Incorporation of fused tetrathiafulvalenes (TTFs) into polythiophene architectures: varying the electroactive dominance of the TTF species in hybrid systems  
R. Berridge, P. J. Skabara, C. Pozo-Gonzalo, A. Kanibolotsky, J. Lohr, J. J. W. McDouall, E. J. L. McInnes, J. Wolowska, C. Winder, S. N. Sariciftci, R. W. Harrington and W. Clegg.  
*J. Phys. Chem. B* 2006, **110**, 3140–3152.
949. Classical hydrogen bonding and weaker C—H...O interactions in complexes of uracil-5-carboxylic acid with the alkali metals Na–Cs  
G. S. Nichol and W. Clegg.  
*Polyhedron* 2006, **25**, 1043–1056.
950. Stabilization of a dialkylstannylenes by unusual B—H...Sn  $\gamma$ -agostic-type interactions. A structural, spectroscopic, and DFT study  
K. Izod, W. McFarlane, B. V. Tyson, I. Carr, W. Clegg and R. W. Harrington.  
*Organometallics* 2006, **25**, 1135–1143.
951. Structure Reports Online: further growth leads to major changes  
W. Clegg and D. G. Watson.  
*Acta Cryst.* 2006, **E62**, e8–e9.

- 952.** Pre-metalation structural insights into the use of alkali-metal-mediated zincation for directed *ortho*-metalation of a tertiary aromatic amide  
W. Clegg, S. H. Dale, E. Hevia, G. W. Honeyman and R. E. Mulvey.  
*Angew. Chem. Internat. Edit.* 2006, **45**, 2370–2374.
- 953.** Post-metalation structural insights into the use of alkali-metal-mediated zincation for directed *ortho*-metalation of a tertiary aromatic amide  
W. Clegg, S. H. Dale, R. W. Harrington, E. Hevia, G. W. Honeyman and R. E. Mulvey.  
*Angew. Chem. Internat. Edit.* 2006, **45**, 2374–2377.
- 954.** Assembly of heterometallic clusters and coordination polymers by combining Mo–S-based clusters with Mn<sup>2+</sup>  
P. Lin, W. Clegg, R. W. Harrington, R. A. Henderson, A. J. Fletcher, J. Bell and K. M. Thomas.  
*Inorg. Chem.* 2006, **45**, 4284–4302.
- 955.** The synthesis of one enantiomer of the  $\alpha$ -methyl-*trans*-cyclopropane unit of mycolic acids  
J. R. Al Dulayymi, M. S. Baird, H. Mohammed, E. Roberts and W. Clegg.  
*Tetrahedron* 2006, **62**, 4851–4862.
- 956.** Heteroleptic complexes of lanthanum(III) and neodymium(III) with oxygen- or nitrogen-functionalized tris(triorganosilyl)methyl ligands  
L. J. Bowman, K. Izod, W. Clegg and R. W. Harrington.  
*Organometallics* 2006, **25**, 2999–3006.
- 957.** Synthesis and structure of the  $n = 4$  member of the framework aluminium alkylenediphosphate series Al<sub>2</sub>[O<sub>3</sub>PC<sub>n</sub>H<sub>2n</sub>PO<sub>3</sub>](H<sub>2</sub>O)<sub>2</sub>F<sub>2</sub>  
Z. Yuan, W. Clegg and M. P. Attfield.  
*J. Porous Mater.* 2006, **13**, 207–212.
- 958.** Synthesis and characterization of two novel pyridine-containing framework gallium ethylenediphosphonates  
Z. Yuan, W. Clegg and M. P. Attfield.  
*J. Solid State Chem.* 2006, **179**, 1739–1749.
- 959.** Alkali-metal-mediated zincation of anisole: synthesis and structures of three instructive *ortho*-zincated complexes  
W. Clegg, S. H. Dale, A. M. Drummond, E. Hevia, G. W. Honeyman and R. E. Mulvey.  
*J. Am. Chem. Soc.* 2006, **128**, 7434–7435.
- 960.** Preparation, reactivity and tautomeric preferences of novel (1*H*-quinolinyl-2-ylidene)propan-2-ones  
H. Loghmani-Khouzani, B. Osmialowski, E. Kolehmainen, R. W. Harrington and W. Clegg.  
*J. Iran. Chem. Soc.* 2006, **3**, 173–179.
- 961.** The synthesis, structure and ethene polymerization activity of octahedral heteroligated (salicylaldiminato)( $\beta$ -enaminoketonato)titanium complexes. The X-ray crystal structure of {3-Bu<sup>t</sup>-2-(O)C<sub>6</sub>H<sub>3</sub>CHN(C<sub>6</sub>H<sub>5</sub>)}{(C<sub>6</sub>H<sub>5</sub>)NC(CH<sub>3</sub>)C(H)C(CH<sub>3</sub>)O}TiCl<sub>2</sub>  
D. A. Pennington, R. W. Harrington, W. Clegg, M. Bochmann and S. J. Lancaster.  
*J. Organomet. Chem.* 2006, **691**, 3183–3188.
- 962.** Cationic terminal borylene complexes: interconversion of amino and alkoxy borylenes by an unprecedented Meerwein-Ponndorf hydride transfer  
D. L. Kays, J. K. Day, S. Aldridge, R. W. Harrington and W. Clegg.  
*Angew. Chem. Internat. Edit.* 2006, **45**, 3513–3516.

- 963.** Synthesis, structural and spectroscopic properties of a new Schiff base ligand *N,N'*-bis(trifluoromethylbenzylidene)ethylenediamine  
M. H. Habibi, M. Montazerzohori, A. Lalegani, R. W. Harrington and W. Clegg.  
*J. Fluorine Chem.* 2006, **127**, 769–773.
- 964.** Migratory insertion of  $[B(C_6F_5)_2]^-$  into C–H bonds: CO promoted transfer of the boryl fragment  
S. Aldridge, D. L. Kays, A. Al-Fawaz, K. M. Jones, P. N. Horton, M. B. Hursthouse, R. W. Harrington and W. Clegg.  
*Chem. Commun.* 2006, 2578–2580.
- 965.** Directed *meta*-metalation using alkali-metal-mediated zincation  
R. E. Mulvey, D. R. Armstrong, W. Clegg, S. H. Dale, E. Hevia, L. M. Hogg, G. W. Honeyman and R. E. Mulvey.  
*Angew. Chem. Internat. Edit.* 2006, **45**, 3775–3778.
- 966.** Amino-functionalised diarylphosphide complexes of the alkali metals and lanthanum  
K. Izod, S. T. Liddle, W. Clegg and R. W. Harrington.  
*Dalton Trans.* 2006, 3431–3437.
- 967.** Complexes of 6-methyl-2-pyridone with the alkaline earth metals magnesium, strontium and barium: synthesis and structural characterisation  
G. S. Nichol and W. Clegg.  
*Inorg. Chim. Acta* 2006, **359**, 3474–3480.
- 968.** Conserved molecular architecture in polymetallic nucleobase complexes  
D. Amantia, M. A. Shipman, C. Price, M. R. J. Elsegood, W. Clegg and A. Houlton.  
*Inorg. Chim. Acta* 2006, **359**, 3515–3520.
- 969.** Polyhedral iridaborane chemistry: elements of the ten-vertex *closo-isonido-isocloso* continuum. Molecular structures of  $[(PPh_3)_2HIrB_9H_9(PPh_3)]$ ,  $[(PPh_3)(Ph_2PC_6H_4)IrB_9H_7(PPh_3)]$ ,  $[(PPh_3)(Ph_2PC_6H_4)HIrB_9H_7Cl(PPh_3)]$ ,  $[(PPh_3)(Ph_2PC_6H_4)HIrB_9H_6(PPh_3)_2]$  and  $[(PPh_3)(Ph_2PC_6H_4)HIrB_9H_{12}]$   
J. Bould, W. Clegg and J. D. Kennedy.  
*Inorg. Chim. Acta* 2006, **359**, 3723–3735.
- 970.** Solution, solid phase and computational structures of apicidin and its backbone-reduced analogs  
M. Kranz, P. J. Murray, S. Taylor, R. J. Upton, W. Clegg and M. R. J. Elsegood.  
*J. Peptide Sci.* 2006, **12**, 383–388.
- 971.** A stable oxoverdazyl free radical: structural and magnetic characterization  
M. J. Plater, S. Kemp, E. Corondao, C. J. Gómez-García, R. W. Harrington and W. Clegg.  
*Polyhedron* 2006, **25**, 2433–2438.
- 972.** Anhydrous guanine: a synchrotron study  
K. Guille and W. Clegg.  
*Acta Cryst.* 2006, C62, o515–o517.
- 973.** Modular synthesis of a new class of bis(amino-oxazoline) using palladium-catalyzed Buchwald-Hartwig amination methodology  
S. Doherty, J. G. Knight, C. H. Smyth, N. T. Sore, R. K. Rath, W. McFarlane, R. W. Harrington and W. Clegg.  
*Organometallics* 2006, **25**, 4341–4350.
- 974.** Stoichiometry-dependent structures: an X-ray and neutron single-crystal diffraction study of the effect of reaction stoichiometry on the crystalline products formed in the potassium–cyanurate system.  
G. S. Nichol, W. Clegg, M. J. Gutmann and D. M. Tooke.  
*Acta Cryst.* 2006, **B62**, 798–807.

- 975.** Heavier alkali metal complexes of a silicon- and phosphine-borane-stabilized carbanion  
K. Izod, C. Wills, W. Clegg and R. W. Harrington.  
*Organometallics* 2006, **25**, 5326–5332.
- 976.** Complexes of Ag(I), Hg(I) and Hg(II) with multidentate pyrazolyl-pyridine ligands: from mononuclear complexes to coordination polymers *via* helicates, a mesocate, a cage and a catenate  
S. P. Argent, H. Adams, T. Riis-Johannessen, J. C. Jeffery, L. P. Harding, W. Clegg,  
R. W. Harrington and M. D. Ward.  
*Dalton Trans.* 2006, 4996–5013.
- 977.** Macropolyhedral boron-containing cluster chemistry. Cluster opening and B-frame rearrangement in the reaction of B<sub>16</sub>H<sub>20</sub> with [ $\{(\text{IrCl}_2(\eta^5\text{-C}_5\text{Me}_5))_2\}$ ]. Synchrotron X-ray structures of  $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ir}_2\text{B}_{16}\text{H}_{17}\text{Cl}]$  and  $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Ir}_2\text{B}_{16}\text{H}_{15}\text{Cl}]$   
M. J. Carr, S. D. Perera, T. Jelínek, C. A. Kilner, W. Clegg, B. Štibr and J. D. Kennedy.  
*Dalton Trans.* 2006, 5221–5224.
- 978.** Alkali-metal-mediated zincation of polycyclic aromatic hydrocarbons: synthesis and structures of mono- and dizincated naphthalenes  
W. Clegg, S. H. Dale, E. Hevia, L. M. Hogg, G. W. Honeyman, R. E. Mulvey and C. T. O'Hara.  
*Angew. Chem. Internat. Edit.* 2006, **45**, 6548–6550.
- 979.** Nonlinear optical properties and crystal structure determination of a pentanuclear copper cluster (NEt<sub>4</sub>)<sub>2</sub>[MoS<sub>4</sub>(CuBp)<sub>4</sub>] (Bp = H<sub>2</sub>B(pyrazolyl)<sub>2</sub>)  
M. Hosaini Sadr, J. Jahanbin Sardroodi, D. Zare, N. R. Brooks, W. Clegg and Y. Song.  
*Polyhedron* 2006, **25**, 3285–3288.
- 980.** Luminescent Pt<sup>II</sup>(bipyridyl)(diacetylide) chromophores with pendant binding sites as energy donors for sensitised near-infrared emission from lanthanides: structures and photophysics of Pt<sup>II</sup>/Ln<sup>III</sup>) assemblies  
T. K. Ronson, T. Lazarides, H. Adams, S. J. A. Pope, D. Sykes, S. Faulkner, S. J. Coles,  
M. B. Hursthouse, W. Clegg, R. W. Harrington and M. D. Ward.  
*Chem. Eur. J.* 2006, **12**, 9299–9313.
- 981.** Polyhedral monocarbaborane chemistry. Some C-phenylated seven, eight, nine, ten, eleven and twelve-vertex species  
A. Franken, T. Jelínek, R. G. Taylor, D. L. Ormsby, C. A. Kilner, W. Clegg and J. D. Kennedy.  
*Dalton Trans.* 2006, 5753–5769.
- 982.** Synthesis and structure of nickel-containing cuboidal clusters derived from [W<sub>3</sub>Se<sub>4</sub>(H<sub>2</sub>O)<sub>9</sub>]<sup>4+</sup>. Site-differentiated substitution at the nickel site in the series [W<sub>3</sub>NiQ<sub>4</sub>(H<sub>2</sub>O)<sub>10</sub>]<sup>4+</sup> (Q = S, Se)  
R. Hernández-Molina, M. N. Sokolov, M. Clausen and W. Clegg.  
*Inorg. Chem.* 2006, **45**, 10567–10575.
- 983.** Synthesis of a redox-active molecular switch based on benzo[1,2]dithiine  
I. Llarena, A. C. Benniston, G. Izzet, D. B. Rewinska, R. W. Harrington and W. Clegg.  
*Tet. Letters* 2006, **47**, 9135–9138.
- 984.** Asymmetric platinum group metal-catalyzed carbonyl-ene reactions: carbon–carbon bond formation versus isomerization  
S. Doherty, J. G. Knight, C. H. Smyth, R. W. Harrington and W. Clegg.  
*J. Org. Chem.* 2006, **71**, 9751–9764.
- 985.** Synthesis and crystal structure of 1,1-dimethoxy-4-phenylamino-4-methylthio-3-buten-2-one  
M. H. Habibi, H. Loghmani-Khouzani, M. M. Sadeghi, R. W. Harrington, W. Clegg and  
M. H. Ghorbani.  
*Anal. Sci.* 2006, **22**, x283–x284.