

PUBLICATIONS: W. CLEGG 1993

- 366.** (*R*)-1,3-Dimethylcyclopropene – one isomer of the smallest chiral hydrocarbon  
M. S. Baird, H. L. Fitton, W. Clegg and A. McCamley.  
*J. Chem. Soc. Perkin Trans. 1* 1993, 321–326.
- 367.** Synthesis and highly diastereoselective nucleophilic epoxidation of *N*-(*p*-tolylsulfonyl)vinylsulfoximines  
P. L. Bailey, W. Clegg, R. F. W. Jackson and O. Meth-Cohn.  
*J. Chem. Soc. Perkin Trans. 1* 1993, 343–350.
- 368.** Structural studies on phenyl bismuth halides and halogenoanions. Part 2. X-ray crystal structures of [BiPhCl<sub>2</sub>(thf)] (thf = tetrahydrofuran), [NBu<sub>4</sub><sup>n</sup>]<sub>2</sub>[Bi<sub>2</sub>Ph<sub>2</sub>Br<sub>6</sub>] and [NEt<sub>4</sub>][BiPh<sub>2</sub>I<sub>2</sub>]  
W. Clegg, R. J. Errington, G. A. Fisher, R. J. Flynn and N. C. Norman.  
*J. Chem. Soc. Dalton Trans.* 1993, 637–641.
- 369.** Butyllithium cubane tetramers linked by Li–TMEDA–Li bridges in an infinite, zig-zig chain arrangement: first crystallographic study of a simple butyl compound of an early main group element  
N. D. R. Barnett, R. E. Mulvey, W. Clegg and P. A. O’Neil.  
*J. Am. Chem. Soc.* 1993, **115**, 1573–1574.
- 370.** Diastereoselective synthesis of cyclopropanes with multiple sulfur substitution. X-ray molecular structures of phenylsulfonyl-substituted cyclopropanes  
P. L. Bailey, C. T. Hewkin, W. Clegg and R. F. W. Jackson.  
*J. Chem. Soc. Perkin Trans. 1* 1993, 577–584.
- 371.** *catena*-[Cd{ $\mu$ -S(CH<sub>2</sub>)<sub>3</sub>NHMe<sub>2</sub>}Br<sub>2</sub>]  
W. Clegg, I. Casals and P. González-Duarte.  
*Acta Cryst.* 1993, **C49**, 129–130.
- 372.** Structure of the [SbI<sub>4</sub>{Me<sub>2</sub>P(CH<sub>2</sub>)<sub>2</sub>PMe<sub>2</sub>}]<sup>−</sup> anion: structural evidence for an arrested double S<sub>N</sub>2 substitution  
W. Clegg, M. R. J. Elsegood, V. Graham, N. C. Norman and N. L. Pickett.  
*J. Chem. Soc. Dalton Trans.* 1993, 997–998.
- 373.** Redetermination of the structure of  $\alpha$ -tetraphosphorus trisulfide diiodide at 180 K  
B. W. Tattershall, N. L. Kendall, A. McCamley and W. Clegg.  
*Acta Cryst.* 1993, **C49**, 571–573.
- 374.** Synthesis and properties of new functionalised tetrathiafulvalene (TTF)  $\pi$ -electron donors  
M. R. Bryce, A. J. Moore, M. A. Coffin, G. J. Marshallsay, G. Cooke, P. J. Skabara, A. S. Batsanov, J. A. K. Howard and W. Clegg.  
*Phosphorus, Sulfur, and Silicon* 1993, **74**, 279–294.
- 375.** Butyllithium-induced cyclotrimerisation reactions of organic nitriles: solvent dependency, crystal and solution structures of lithio triazine intermediates and an unexpected rearrangement of dihydrotriazino anions  
D. R. Armstrong, W. Clegg, M. MacGregor, R. E. Mulvey and P. A. O’Neil.  
*J. Chem. Soc. Chem. Commun.* 1993, 608–610.
- 376.** A mixed aggregate of lithium diisopropylamide and lithium chloride: synthesis and crystal structure  
F. S. Mair, W. Clegg and P. A. O’Neil.  
*J. Am. Chem. Soc.* 1993, **115**, 3388–3389.
- 377.** Preparation and characterisation of the mixed 1,3,2,4-/1,2,3,5-dithiadiazolylium salts and related free radicals; [*m*- and [*p*-SNSNC–C<sub>6</sub>H<sub>4</sub>–CNSSN]<sup>x</sup> (x = 2+, ·+ or 2·)  
A. J. Banister, I. Lavender, J. M. Rawson, W. Clegg, B. K. Tanner and R. J. Whitehead.  
*J. Chem. Soc. Dalton Trans.* 1993, 1421–1429.

- 378.** Synthesis and structure of  $[\text{SMe}_3]_2[\text{Bi}_2\text{I}_8(\text{SMe}_2)_2]$ : a dimethylsulphide complex of bismuth(III)  
W. Clegg, N. C. Norman and N. L. Pickett.  
*Polyhedron* 1993, **12**, 1251–1252.
- 379.** Silicon-containing macrocycles and polymers via metathesis: X-ray crystal structures of *cis,cis*- and *trans,trans*-1,1,6,6-tetraphenyl-1,6-disilacyclodeca-3,8-diene  
J. T. Anhaus, V. C. Gibson, W. Clegg and S. P. Collingwood.  
*Organometallics* 1993, **12**, 1780–1789.
- 380.** Synthesis and structural characterisation of the mixed lithium–magnesium amide,  $[\{\text{PhCH}_2(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{N}\}_4\text{Li}_2\text{Mg}]$ : a new type of magnesiate complex free of a donor solvent as ligand  
W. Clegg, K. W. Henderson, R. E. Mulvey and P. A. O’Neil.  
*J. Chem. Soc. Chem. Commun.* 1993, 969–970.
- 381.** Two series of aza macrocycles containing the phenyldinaphthomethane subunit (a three bladed propeller); crystal structures and dynamic NMR spectroscopy  
W. Clegg, P. J. Cooper, K. I. Kinnear, D. J. Rushton and J. C. Lockhart.  
*J. Chem. Soc. Perkin Trans. 2* 1993, 1259–1268.
- 382.** A new tetratungstate,  $[\text{W}_4\text{O}_4\text{Cl}_{10}(\text{NBu}^t)_4]^{2-}$ , and its degradation to the mononuclear complex  $[\text{WOC}_2(\text{NBu}^t)(\text{bipy})]$  or  $[\text{WCl}_2(\text{NBu}^t)_2(\text{bipy})]$  (bipy = 2,2’-bipyridine)  
W. Clegg, R. J. Errington, D. C. R. Hockless and C. Redshaw.  
*J. Chem. Soc. Dalton Trans.* 1993, 1965–1971.
- 383.** Evidence for rapid ligand redistribution in non-aqueous tungstate chemistry: rational synthesis of the binuclear tungsten oxoalkoxide  $[\text{W}_2\text{O}_5(\text{OMe})_4]^{2-}$   
W. Clegg, R. J. Errington, K. A. Fraser and D. G. Richards.  
*J. Chem. Soc. Chem. Commun.* 1993, 1105–1107.
- 384.** Structural and spectroscopic evidence for multiple  $\alpha$ -agostic interactions in dialkyl complexes of niobium  
A. D. Poole, D. N. Williams, A. M. Kenwright, V. C. Gibson, W. Clegg, D. C. R. Hockless and P. A. O’Neil.  
*Organometallics* 1993, **12**, 2549–2555.
- 385.** An infinite ladder structure of alternating, fused  $\text{K}_2\text{N}_2$  rhomboids and  $\text{KN}_2$  triangles: synthesis and crystallographic characterisation of benzotriazolotopotassium·HMPA (HMPA = hexamethylphosphoric triamide)  
P. C. Andrews, W. Clegg, R. E. Mulvey, P. A. O’Neil and H. M. M. Wilson  
*J. Chem. Soc. Chem. Commun.* 1993, 1142–1144.
- 386.** Cyclohexanethiolato complexes of mercury  
W. Clegg, K. A. Fraser, I. C. Taylor, T. Alsina and J. Sola.  
*The Chemistry of the Copper and Zinc Triads*, ed. A. J. Welch and S. K. Chapman, Royal Society of Chemistry, Cambridge 1993, 137–140.
- 387.** An unprecedented mixed alkali metal organonitrogen ladder: synthesis, NMR spectroscopic studies, and X-ray crystallographic studies of the dilithium disodium amide  $[\{\text{LiNa}[\text{N}(\text{CH}_2\text{Ph})_2]_2 \cdot \text{OEt}_2\}_2]$   
D. R. Baker, R. E. Mulvey, W. Clegg and P. A. O’Neil.  
*J. Am. Chem. Soc.* 1993, **115**, 6472–6473.
- 388.** Structural studies on bismuth–iodide–hexamethylphosphoramidate complexes by X-ray crystallography and extended X-ray absorption fine structure spectroscopy  
W. Clegg, L. J. Farrugia, A. McCamley, N. C. Norman, A. G. Orpen, N. L. Pickett and S. E. Stratford.  
*J. Chem. Soc. Dalton Trans.* 1993, 2579–2587.

- 389.** (1,7-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>-1',3'-C<sub>6</sub>H<sub>4</sub>)<sub>3</sub>, a cyclic trimer from *meta*-carboranediyl and *meta*-phenylene units: a new category of macrocycle  
W. Clegg, W. R. Gill, J. A. H. MacBride and K. Wade.  
*Angew. Chem. Internat. Edit. Engl.* 1993, **32**, 1328–1329.
- 390.** Crystal structure of [( $\alpha$ -cyanoisopropylsodium·tetramethylethylenediamine)<sub>4</sub>]: how coordination expansion from Li to Na centers can increase the aggregation state of an  $\alpha$ -nitrile “carbanion”  
J. Barker, N. D. R. Barnett, D. Barr, W. Clegg, R. E. Mulvey and P. A. O’Neil.  
*Angew. Chem. Internat. Edit. Engl.* 1993, **32**, 1366–1368.
- 391.** Synthesis of heteroleptic bis(amides): crystal structure of the representative compound, [{Mg[N(Ph)<sub>2</sub>][N(Ph)(2-Pyr)]<sub>2</sub>}]  
K. W. Henderson, R. E. Mulvey, W. Clegg and P. A. O’Neil.  
*Polyhedron* 1993, **12**, 2535–2538.
- 392.** X-ray structure and bonding of 1-phenylethynyl-2-phenyl-1,2-dicarbododecaborane(12), [1-(PhC $\equiv$ C)-Ph-1,2-C<sub>2</sub>B<sub>10</sub>H<sub>10</sub>], a model alkyne complex containing a rich variety of carbon–carbon bond types  
W. Clegg, R. Coult, M. A. Fox, W. R. Gill, J. A. H. MacBride and K. Wade.  
*Polyhedron* 1993, **12**, 2711–2717.
- 393.** [(PtMe<sub>3</sub>)<sub>3</sub>{ $\mu$ -I, $\mu$ -S(CH<sub>2</sub>)<sub>2</sub>NHEt<sub>2</sub>}<sub>2</sub>]I, the first platinum thiolate complex with an incomplete cubane structure  
W. Clegg, K. A. Fraser, N. Duran and P. González-Duarte.  
*Polyhedron* 1993, **12**, 2737–2739.
- 394.** New confacial bioctahedral diplatinum(IV) complexes with 3-aminoalkanethiolate bridges  
W. Clegg, N. Duran, K. A. Fraser, P. González-Duarte, J. Sola and I. C. Taylor.  
*J. Chem. Soc. Dalton Trans.* 1993, 3453–3457.
- 395.** Transition-metal complexes of di- and tri-phosphines derived from 1,1-bis(diphenylphosphinomethyl)ethene  
J. L. Bookham, W. Clegg, W. McFarlane and E. S. Raper.  
*J. Chem. Soc. Dalton Trans.* 1993, 3567–3573.
- 396.** Niobium and tantalum methyl complexes containing imido and cyclopentadienyl ligands. Crystal structure of [Nb( $\eta$ -C<sub>5</sub>H<sub>5</sub>)(N<sup>t</sup>Bu)(Me)(Cl)]  
V. C. Gibson, A. D. Poole, U. Siemeling, D. N. Williams, W. Clegg and D. C. R. Hockless.  
*J. Organomet. Chem.* 1993, **462**, C12–C14.
- 397.** Novel rearrangement of a 10-membered Schiff base macrocycle to a tricyclic product: crystal structures of the tricycle and a related macrocycle  
L. G. Wrench, W. Clegg, M. R. J. Elsegood, H. K. Gill, L. Horsburgh and J. C. Lockhart.  
*Tet. Letters* 1993, **34**, 8349–8352.
- 398.** Structure of monomeric [TiCl<sub>4</sub>(hexamethylphosphoric triamide)<sub>2</sub>]  
W. Clegg, P. A. O’Neil, K. W. Henderson and R. E. Mulvey.  
*Acta Cryst.* 1993, **C49**, 2108–2109.
- 399.** Dilithium zinc crotonate, a mixed-metal sheet polymeric structure  
W. Clegg, P. A. Hunt and B. P. Straughan.  
*Acta Cryst.* 1993, **C49**, 2109–2112.
- 400.** Regiospecific alkylation of 6-chloropurine and 2,6-dichloropurine at N7 by transient protection of N3/N9 by methylcobaloxime  
C. Dalby, C. Bleasdale, W. Clegg, M. R. J. Elsegood, B. T. Golding and R. J. Griffin.  
*Angew. Chem. Internat. Edit. Engl.* 1993, **32**, 1696–1697.

401. Crystallography

W. Clegg.

*The New Illustrated Science and Invention Encyclopedia. The Modern World*, Marshall Cavendish 1993, **27**, 83–84.