

PUBLICATIONS: W. CLEGG 1994

402. The preparation and X-ray crystal structure of the first metal-1,3,2,4-dithiadiazolylium salt, $[\text{Hg}(\overline{\text{CNSNS}})_2][\text{AsF}_6]_2$, a transfer agent for the dithiadiazolylium ring
A. J. Banister, I. Lavender, S. E. Lawrence, J. M. Rawson and W. Clegg.
J. Chem. Soc. Chem. Commun. 1994, 29–30.
403. Synthesis and
X-ray crystallographic characterisation of *o*-phenylenediamidomagnesium·tetrahydrofuran: the first octahedral Mg_6 cluster
W. Clegg, M. Frank, R. E. Mulvey and P. A. O'Neil.
J. Chem. Soc. Chem. Commun. 1994, 97–98.
404. Structures of $[\text{Ph}\overline{\text{CNSSN}}]_2[\text{Pt}(\text{mnt})_2]$ and $[(p\text{-ClC}_6\text{H}_4\overline{\text{CNSSN}})_2\text{Cl}][\text{Pt}(\text{mnt})_2]$ (mnt = maleonitriledithiolato ligand)
W. Clegg, S. L. Birkby, A. J. Banister, J. M. Rawson, S. T. Wait, P. Rizkallah, M. M. Harding and A. J. Blake.
Acta Cryst. 1994, **C50**, 28–33.
405. Bis(η^5 -*tert*-butylcyclopentadienyl)dichloroniobium(IV)
A. McCamley, T. J. Miller and W. Clegg.
Acta Cryst. 1994, **C50**, 33–36.
406. Structures of the indium trihalide bisphosphine complexes $[\text{InBr}_3(\text{PMe}_2\text{Ph})_2]$ and $[\text{InI}_3(\text{PMePh}_2)_2]$
W. Clegg, N. C. Norman and N. L. Pickett.
Acta Cryst. 1994, **C50**, 36–38.
407. New aspects of non-aqueous polyoxometalate chemistry
R. J. Errington, C. Lax, D. G. Richards, W. Clegg and K. A. Fraser.
Polyoxometalates: from Platonic solids to anti-retroviral activity, ed. M. T. Pope and A. Müller, Kluwer Academic Publishers 1994, 105–114.
408. Novel conjunction of hetero(macro)cycles and a pentamolybdodiphosphonate cage
M. P. Lowe, J. C. Lockhart, W. Clegg and K. A. Fraser.
Angew. Chem. Internat. Edit. Engl. 1994, **33**, 451–454.
409. A binuclear silver complex of a tetrapyrazolyl ligand
W. Clegg, P. J. Cooper, J. C. Lockhart and D. J. Rushton.
Acta Cryst. 1994, **C50**, 383–386.
410. Structure of a cyclopropachromene
P. E. Brown, W. Clegg and J. E. Steele.
Acta Cryst. 1994, **C50**, 424–425.
411. Model structural types for rationalising stoichiometries and coordination numbers in lithium amidomagnesiates: syntheses and X-ray diffraction studies of $[\{\text{Mg}(\text{NR}_2)_2\}_2]$, $[\text{Li}_2\text{Mg}(\text{NR}_2)_4]$ and $[\text{LiMg}(\text{NR}_2)_3\text{py}]$ (R = benzyl, py = pyridine)
W. Clegg, K. W. Henderson, R. E. Mulvey and P. A. O'Neil.
J. Chem. Soc. Chem. Commun. 1994, 769–770.
412. Polymeric and mixed carboxylate compounds: crystal structures of $[\text{Zn}(\text{tiglate})_2]_x$ and $[\text{Zn}_2(\text{tiglate})_3(\text{crotonate})]_x$
W. Clegg, J. T. Cressey, D. R. Harbron and B. P. Straughan.
J. Chem. Cryst. 1994, **24**, 211–217.

413. *N*-[2-(2-Formylphenyl)ethyl]-2-nitroaniline
W. Clegg, S. P. Stanforth, K. A. Hedley, E. S. Raper and J. R. Creighton.
Acta Cryst. 1994, **C50**, 583–585.
414. Triphenylphosphoranylideneammonium azide, $[\text{Ph}_3\text{P}=\text{NH}_2][\text{N}_3]$
W. Clegg and C. Bleasdale.
Acta Cryst. 1994, **C50**, 740–742.
415. Structure of BiBr_2Ph : a solid-state architecture involving secondary bonding and π - π interactions
W. Clegg, M. R. J. Elsegood, R. J. Errington, G. A. Fisher and N. C. Norman.
J. Mater. Chem. 1994, **4**, 891–893.
416. Neutral phosphine complexes of antimony(III) and bismuth(III) halides
W. Clegg, M. R. J. Elsegood, V. Graham, N. C. Norman, N. L. Pickett and K. Tavakkoli.
J. Chem. Soc. Dalton Trans. 1994, 1743–1751.
417. Anionic phosphine complexes of antimony(III) and bismuth(III) halogenoanions
W. Clegg, M. R. J. Elsegood, N. C. Norman and N. L. Pickett.
J. Chem. Soc. Dalton Trans. 1994, 1753–1757.
418. An enantiomerically pure 4-oxo- α -amino acid derivative
W. Clegg, R. F. W. Jackson, P. A. O’Neil and N. Wishart.
Acta Cryst. 1994, **C50**, 965–967.
419. Novel structures of some main-group metallocotriazine compounds
W. Clegg, L. Horsburgh and P. A. O’Neil.
Z. Krist. 1994, **S8**, 349.
420. Layer structure of $\text{Hg}(\text{SR})_2$, $\text{R} = {}^n\text{C}_n\text{H}_{2n+1}$, ($n = 2,3,5,6,8,12$)
K. A. Fraser, W. Clegg, D. C. Craig, M. L. Scudder and I. G. Dance.
Z. Krist. 1994, **S8**, 356.
421. Solid-state reactivity via unsaturated metal carboxylates
J. T. Cressey, W. Clegg, M. R. J. Elsegood and B. P. Straughan.
Z. Krist. 1994, **S8**, 369.
422. Effects of additional stereogenic centres and cation in the nucleophilic epoxidation of vinylsulfoximines with metal alkylperoxides
A. D. Briggs, R. F. W. Jackson, W. Clegg, M. R. J. Elsegood, J. Kelly and P. A. Brown.
Tet. Letters 1994, **35**, 6945–6948.
423. NMR, crystal structure and FAB mass spectral studies of morpholinomethylphosphonic acid
M. P. Lowe, J. C. Lockhart, C. J. Matthews, W. Clegg, M. R. J. Elsegood and L. Horsburgh.
J. Chem. Soc. Perkin Trans. 2 1994, 1957–1963.
424. The stereochemistry of a cyclopropene–vinylcarbene rearrangement
J. R. Al Dulayymi, M. S. Baird, L. Rajaram and W. Clegg.
J. Chem. Res. (S) 1994, 344–345.
J. Chem. Res. (M) 1994, 1901–1916.
425. Novel bis(imido) complexes of molybdenum(VI): precursors to new alkene metathesis catalysts
A. Bell, W. Clegg, P. W. Dyer, M. R. J. Elsegood, V. C. Gibson and E. L. Marshall.
J. Chem. Soc. Chem. Commun. 1994, 2247–2248.
426. Potassium potassiate contact ion pair polymer synthesised by metallation of a dihydrotriazine
W. Clegg, L. Horsburgh, R. E. Mulvey, and M. J. Ross.
J. Chem. Soc. Chem. Commun. 1994, 2393–2394.

427. Oxidative addition of B–B bonds by rhodium(I) phosphine complexes: molecular structures of B_2cat_2 (cat = 1,2- $O_2C_6H_4$) and its 4-Bu^t and 3,5-Bu^t₂ analogs
P. Nguyen, G. Lesley, N. J Taylor, T. B. Marder, N. L. Pickett, W. Clegg, M. R. J. Elsegood and N. C. Norman.
Inorg. Chem. 1994, **33**, 4623–4624.
428. A versatile route to well-defined molybdenum metathesis catalysts *via* mixed imido precursors: the molecular structure of $[Mo(N-2,6-Pr^i_2C_6H_3)(N-Bu^t)(CH_2CMe_3)_2]$
A. Bell, W. Clegg, P. W. Dyer, M. R. J. Elsegood, V. C. Gibson and E. L. Marshall.
J. Chem. Soc. Chem. Commun. 1994, 2547–2548.
429. Isocyanate *versus* isothiocyanate insertion into alkoxo and imido ligands
V. C. Gibson, C. Redshaw, W. Clegg and M. R. J. Elsegood.
J. Chem. Soc. Chem. Commun. 1994, 2635–2636.
430. Mixed lithium magnesium aryl oxides derived from cresol: crystal structures and solution NMR studies of an unexpected, magnesium-rich oxo product with a trigonal bipyramidal $LiMg_4$ cage and an expected lithium-rich product with a more familiar Li...Mg...Li chain
K. W. Henderson, R. E. Mulvey, F. B. M. Reinhard, W. Clegg and L. Horsburgh.
J. Am. Chem. Soc. 1994, **116**, 10777–10778.
431. Expanding the scope of lithium coordination chemistry by placing sodium nearby: a mixed lithium–sodium benzyl compound having TMEDA-chelated Li^+ cations in an unprecedented tetrameric environment
D. R. Baker, W. Clegg, L. Horsburgh and R. E. Mulvey.
Organometallics 1994, **13**, 4170–4172.