

PUBLICATIONS: W. CLEGG 1995

432. Self-assembly of polyoxometalate conjugates: novel models for catalytic surfaces from crystal data  
M. P. Lowe, J. C. Lockhart, G. A. Forsyth, W. Clegg and K. A. Fraser.  
*J. Chem. Soc. Dalton Trans.* 1995, 145–152.
433. Stereocontrol in the nucleophilic epoxidation of  $\alpha$ -(1-hydroxyalkyl)- $\alpha,\beta$ -unsaturated sulfones  
R. F. W. Jackson, S. P. Standen, W. Clegg and A. McCamley.  
*J. Chem. Soc. Perkin Trans. 1* 1995, 141–148.
434. Control of diastereofacial selectivity in the nucleophilic epoxidation of  $\gamma$ -oxygenated  $\alpha,\beta$ -unsaturated sulfones  
R. F. W. Jackson, S. P. Standen and W. Clegg.  
*J. Chem. Soc. Perkin Trans. 1* 1995, 149–156.
435. Synthetic, structural, mechanistic and theoretical MO studies of the alkali metal chemistry of dibenzylamine and its transformation to 1,3-diphenyl-2-aza-allyl derivatives  
P. C. Andrews, D. R. Armstrong, D. R. Baker, R. E. Mulvey, W. Clegg, L. Horsburgh, P. A. O'Neil and D. Reed.  
*Organometallics* 1995, **14**, 427–439.
436. Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative  
D. R. Armstrong, K. W. Henderson, M. MacGregor, R. E. Mulvey, M. J. Ross, W. Clegg and P. A. O'Neil.  
*J. Organomet. Chem.* 1995, **486**, 79–93.
437. Functionalisation of  $[\text{Mo}_6\text{O}_{19}]^{2-}$  with aromatic amines: synthesis and structure of a hexamolybdate building block with linear difunctionality  
W. Clegg, R. J. Errington, K. A. Fraser, S. A. Holmes and A. Schäfer.  
*J. Chem. Soc. Chem. Commun.* 1995, 455–456.
438. The polymeric structure of aquacadmium bisnicotinate  
W. Clegg, J. T. Cressey, A. McCamley and B. P. Straughan.  
*Acta Cryst.* 1995, **C51**, 234–235.
439. New crystal data for  $[\text{Hg}(\text{SC}_2\text{H}_5)_2]$   
K. A. Fraser, W. Clegg, D. C. Craig, M. L. Scudder and I. G. Dance.  
*Acta Cryst.* 1995, **C51**, 406–408.
440. 2,6-Diphenyl-3-vinylpyridine  
W. Clegg, C. T. Hewkin and R. F. W. Jackson.  
*Acta Cryst.* 1995, **C51**, 525–527.
441. The first solid state paramagnetic 1,2,3,5-dithiadiazolyl radical; X-ray crystal structure of  $[p\text{-NCC}_6\text{F}_4\text{CNSSN}]^\cdot$   
A. J. Banister, N. Bricklebank, W. Clegg, M. R. J. Elsegood, C. I. Gregory, I. Lavender, J. M. Rawson and B. K. Tanner.  
*J. Chem. Soc. Chem. Commun.* 1995, 679–680.
442. Lithium anilide complexed by pmdeta: expectation of a simple monomer, but in reality an odd trinuclear composition combining three-, four- and five-coordinate lithium  
D. Barr, W. Clegg, L. Cowton, L. Horsburgh, F. M. Mackenzie and R. E. Mulvey.  
*J. Chem. Soc. Chem. Commun.* 1995, 891–892.

443. Hexaaquatitanium(III) tris(*p*-toluenesulfonate) trihydrate  
M. A. S. Aquino, W. Clegg, Q.-T. Liu and A. G. Sykes.  
*Acta Cryst.* 1995, **C51**, 560–562.
444. Contrasting structures of two adducts of zinc crotonate with substituted pyridines  
W. Clegg, P. A. Hunt and B. P. Straughan.  
*Acta Cryst.* 1995, **C51**, 613–617.
445. *p*-Nitrobenzyl trichloroacetimidate  
W. Clegg, H. J. Pogue, M. P. Lowe, I. M. Butterfield and R. F. W. Jackson.  
*Acta Cryst.* 1995, **C51**, 741–743.
446. Crystal structure of dilithioacetylacetonate: a twenty-four vertex Li–O cage molecule with limited Li–C(terminal) bonding and selective THF solvation  
W. Clegg, L. Horsburgh, R. E. Mulvey and M. J. Ross.  
*Angew. Chem. Internat. Edit. Engl.* 1995, **34**, 1233–1234.
447. Neutral thiolates of antimony(III) and bismuth(III)  
W. Clegg, M. R. J. Elsegood, L. J. Farrugia, F. J. Lawlor, N. C. Norman and A. J. Scott.  
*J. Chem. Soc. Dalton Trans.* 1995, 2129–2135.
448. Two anionic indium(III)–thiocyanate complexes with potassium-centred complex cations  
C. J. Carmalt, W. Clegg, M. R. J. Elsegood, B. O. Kneisel and N. C. Norman.  
*Acta Cryst.* 1995, **C51**, 1254–1258.
449. Search for diastereoisomers of the 3,5-bis(trifluoromethyl)phenyldinaphtho propeller crowns: crystal structure and molecular dynamics simulations  
W. Clegg, P. J. Cooper, G. A. Forsyth and J. C. Lockhart.  
*J. Chem. Soc. Perkin Trans. 2* 1995, 1339–1344.
450. Well-defined ethylene polymerisation catalysts derived from bis(imido) chromium(VI) precursors  
M. P. Coles, C. I. Dalby, V. C. Gibson, W. Clegg and M. R. J. Elsegood.  
*J. Chem. Soc. Chem. Commun.* 1995, 1709–1711.
451. An epoxyamide  
W. Clegg, M. Ranelli and R. F. W. Jackson.  
*Acta Cryst.* 1995, **C51**, 1604–1606.
452. Four isomeric dioxolane derivatives of D-camphorquinone  
W. Clegg, B. T. Golding, B. J. King and A. B. Maude.  
*Acta Cryst.* 1995, **C51**, 1825–1829.
453. Two products of ring opening reactions of an arylthionitrooxirane  
W. Clegg, J. M. Dunbar, M. R. J. Elsegood, R. F. W. Jackson and N. J. Palmer.  
*Acta Cryst.* 1995, **C51**, 1950–1953.
454. Dis-assembling lithium amide ladder structures: structural elucidation of the lithium anilide solvate  $[\{\text{PhN(H)Li}\}_6 \cdot 8\text{THF}]$ , a model intermediate *en route* to forming tetra-solvated ring dimers  
W. Clegg, L. Horsburgh, F. M. Mackenzie and R. E. Mulvey.  
*J. Chem. Soc. Chem. Commun.* 1995, 2011–2012.
455. Bis(arylimido) complexes of chromium(VI)  
M. P. Coles, C. I. Dalby, V. C. Gibson and W. Clegg.  
*Polyhedron* 1995, **14**, 2455–2459.

456. Four- *versus* five-co-ordinate bis(imido) alkene complexes of molybdenum: the contrasting effects of *tert*-butyl- and 2,6-diisopropylphenyl-imido substituents  
P. W. Dyer, V. C. Gibson and W. Clegg.  
*J. Chem. Soc. Dalton Trans.* 1995, 3313–3316.
457. Polymeric [*cyclo*{bis- $\mu_3(\eta^2\text{-S}, \eta^1\text{-N})$ -(1,3-thiazolidine-2-thionato)-bis- $\mu_4(\eta^3\text{-S}, \eta^1\text{-N})$ -(1,3-thiazolidine-2-thionato) tetracopper(I)} monotoluene solvate]: electrochemical synthesis, characterisation and crystal structure at 160 K  
E. S. Raper, J. R. Creighton and W. Clegg.  
*Inorg. Chim. Acta* 1995, **237**, 87–92.
458. Directed metallation of adenine-N<sup>3</sup> *via* nucleobase–ligand conjugation  
C. Price, M. R. J. Elsegood, A. Houlton and W. Clegg.  
*J. Chem. Soc. Chem. Commun.* 1995, 2285–2286.
459. Peripherally substituted cobaloximes; X-ray crystal structure analysis of  $\sigma$ -hexylbis[3,8-di(*N*-morpholino)octane-4,5-dioximato]pyridinecobalt(III)  
B. Köhler, M. Knauer, W. Clegg, M. R. J. Elsegood, B. T. Golding and J. Rétey.  
*Angew. Chem. Internat. Edit. Engl.* 1995, **34**, 2389–2390.
460. A new approach to the synthesis of  $\beta$ -hydroxy- $\alpha$ -amino acids using (aryltio)nitrooxiranes  
R. F. W. Jackson, N. J. Palmer, M. J. Wythes, W. Clegg and M. R. J. Elsegood.  
*J. Org. Chem.* 1995, **60**, 6431–6440.
461. Dilithio acetylacetonone – remarkable solid-state structural complexity  
R. E. Mulvey, M. J. Ross, W. Clegg and L. Horsburgh.  
*Abst. Papers A. C. S.* 1995, **210**, 517-INOR.
462. Novel metal imido calixarene complexes  
V. C. Gibson, C. Redshaw, W. Clegg and M. R. J. Elsegood.  
*J. Chem. Soc. Chem. Commun.* 1995, 2371–2372.