

PUBLICATIONS: W. CLEGG 2000

- 669.** Preparations, X-ray crystal structure determinations, and base strength measurements of substituted tritylamines
M. Canle, W. Clegg, I. Demirtas, M. R. J. Elsegood and H. Maskill.
J. Chem. Soc. Perkin Trans. 2 2000, 85–92.
- 670.** A new high-flux chemical and materials crystallography station at the SRS Daresbury. 1. Design, construction and test results. Corrigendum.
R. J. Cernik, W. Clegg, C. R. A. Catlow, G. Bushnell-Wye, J. V. Flaherty, G. N. Greaves, I. Burrows, D. J. Taylor, S. J. Teat and M. Hamichi.
J. Synchrotron Rad. 2000, **7**, 40.
- 671.** Pentanuclear asymmetrical ladder structure of the 1,4-dimethylpiperazine solvate of lithium anilide and its implication for the unknown structure of amorphous lithium anilide
W. Clegg, S. T. Liddle, R. E. Mulvey and A. Robertson.
Chem. Commun. 2000, 223–224.
- 672.** A new cluster complex, $(\text{NH}_4)_6[\text{Mo}_4\text{Se}_4(\text{CN})_{12}] \cdot 6\text{H}_2\text{O}$, containing a tetranuclear mixed-valence molybdenum core
A. V. Virovets, V. P. Fedin, D. G. Samsonenko and W. Clegg.
Acta Cryst. 2000, **C56**, 272–273.
- 673.** The changing structural chemistry of lithium anilide on solvation by pyridine, 4-methylpyridine or 4-*tert*-butylpyridine
W. Clegg, L. Horsburgh, S. T. Liddle, F. M. Mackenzie, R. E. Mulvey and A. Robertson.
J. Chem. Soc. Dalton Trans. 2000, 1225–1231.
- 674.** Synthesis, structure and coordination chemistry of mono- and bis-heterocyclic-ferrocenyl derivatives
C. J. Isaac, C. Price, B. R. Horrocks, A. Houlton, M. R. J. Elsegood and W. Clegg.
J. Organomet. Chem. 2000, **598**, 248–253.
- 675.** Manganese and cesium derivatives of the bulky bidentate ligand $\text{C}(\text{SiMe}_3)_2\text{SiMe}_2\text{CH}_2\text{CH}_2\text{Me}_2\text{Si}(\text{Me}_3\text{Si})_2\text{C}$. Crystal structures of $\text{Li}(\text{THF})_{2.75}(\text{Et}_2\text{O})_{0.25}(\mu\text{-Cl})\text{MnC}(\text{SiMe}_3)_2\text{SiMe}_2\text{CH}_2\text{CH}_2\text{Me}_2\text{Si}(\text{Me}_3\text{Si})_2\text{C}$ and $(\text{C}_6\text{H}_6)_3\text{CsC}(\text{SiMe}_3)_2\text{SiMe}_2\text{CH}_2\text{CH}_2\text{Me}_2\text{Si}(\text{Me}_3\text{Si})_2\text{CCs}(\text{C}_6\text{H}_6)_3$
C. Eaborn, P. B. Hitchcock, J. D. Smith, S. Zhang, W. Clegg, K. Izod and P. O’Shaughnessy.
Organometallics 2000, **19**, 1190–1193.
- 676.** The reaction chemistry of 2- and 3-aminoalkanethiols with $[\text{PtMe}_3\text{I}]_4$: a new example of the structural diversity of metal thiolates
N. Duran, W. Clegg, K. A. Fraser and P. González-Duarte.
Inorg. Chim. Acta 2000, **300–302**, 790–799.
- 677.** Novel trityl activators with new weakly coordinating anions derived from $\text{C}_6\text{F}_4\text{-1},2\text{-}[\text{B}(\text{C}_6\text{F}_5)_2]_2$: synthesis, structures, and olefin polymerization behavior
V. C. Williams, G. J. Irvine, W. E. Piers, Z. M. Li, S. Collins, W. Clegg, M. R. J. Elsegood and T. B. Marder.
Organometallics 2000, **19**, 1619–1621.
- 678.** Metal incorporation into and dimerization of M_3E_4 clusters ($\text{M} = \text{Mo, W}; \text{E} = \text{S, Se}$) in supramolecular assemblies with cucurbituril: a molecular model of intercalation
M. N. Sokolov, A. V. Virovets, D. N. Dybtsev, O. A. Gerasko, V. P. Fedin, R. Hernandez-Molina, W. Clegg and A. G. Sykes.
Angew. Chem. Internat. Edit. Engl. 2000, **39**, 1659–1661.

- 679.** Supramolecular assemblies based on cucurbituril adducts of hydrogen-bonded molybdenum and tungsten incomplete cuboidal aqua complexes
 V. P. Fedin, A. V. Virovets, M. N. Sokolov, D. N. Dybtsev, O. A. Gerasko and W. Clegg.
Inorg. Chem. 2000, **39**, 2227–2230.
- 680.** Complexes of heterocyclic thiones and group 12 metals. Part 2. The chemical and electrochemical synthesis of mercury(II) complexes of 1-methylimidazoline-2(3H)-thionate. The crystal structure of *trans*-[bis- $\{(\eta^1-S\text{-}1\text{-methylimidazoline-2(3H)\text{-thione}})(\eta^1-S\text{-}1\text{-methylimidazoline-2(3H)\text{-thionate}})\text{-}(\mu_2\text{-}S\text{,}N\text{-}1\text{-methylimidazoline-2-thionate})\text{mercury(II)}\}]$ at 160 K
 N. A. Bell, W. Clegg, J. R. Creighton and E. S. Raper.
Inorg. Chim. Acta 2000, **303**, 12–16.
- 681.** Complexes of heterocyclic thiones and group 12 metals. Part 3. Preparation and characterisation of 1:2 complexes of mercury(II) halides with 1-methylimidazoline-2(3H)-thione: the crystal structures of $[(\text{HgX}_2)(1\text{-methylimidazoline-2(3H)\text{-thione}})_2]$ ($X = \text{Cl}, \text{Br}, \text{I}$) at 160 K
 N. A. Bell, T. N. Branston, W. Clegg, J. R. Creighton, L. Cucurull-Sánchez, M. R. J. Elsegood and E. S. Raper.
Inorg. Chim. Acta 2000, **303**, 220–227.
- 682.** Macropolyhedral boron-containing cluster chemistry. Further progress beyond the icosahedron. July 1999
 J. Bould, D. L. Ormsby, H.-J. Yao, C.-H. Hu, J. Sun, R.-S. Jin, S. L. Shea, W. Clegg, T. Jelínek, N. P. Rath, M. Thornton-Pett, R. Greatrex, P.-J. Zheng, L. Barton, B. Štíbr and J. D. Kennedy. *Contemporary Boron Chemistry*, edited by M. Davidson, A. K. Hughes, T. B. Marder and K. Wade, Royal Society of Chemistry, Cambridge 2000, 171–174.
- 683.** Dimethylaluminium enolates and alkoxides derived from trimethylaluminium and aromatic ketones: a synthetic, structural and theoretical investigation
 J. F. Allan, W. Clegg, M. R. J. Elsegood, K. W. Henderson, A. E. McKeown, P. Moran and I. M. Rakov.
J. Organomet. Chem. 2000, **602**, 15–23.
- 684.** *N*-nitroso-*N*,*O*-dialkylhydroxylamines: preparation, structure, and mechanism of the hydronium ion catalysed solvolytic nitrous oxide extrusion reaction
 J. I. Bhat, W. Clegg, H. Maskill, M. R. J. Elsegood, I. D. Menneer and P. C. Miatt.
J. Chem. Soc. Perkin Trans. 2 2000, 1435–1446.
- 685.** Synthesis and structural characterization of the first lanthanide(II) cuboidal cluster. Unexpected C—O activation by an unchanged ytterbium(II) center
 W. Clegg, K. Izod, S. T. Liddle, P. O'Shaughnessy and J. M. Sheffield.
Organometallics 2000, **19**, 2090–2096.
- 686.** A supramolecular approach to the crystallization of chalcogenido bridged cluster aqua ions: synthesis and structure of a cucurbituril adduct of the di- μ -disulfido $\text{Nb}(\text{IV})_2$ ion $[\text{Nb}_2(\mu\text{-S}_2)_2(\text{H}_2\text{O})_8]^{4+}$
 V. P. Fedin, A. V. Virovets, D. N. Dybtsev, O. A. Gerasko, K. Hegetschweiler, M. R. J. Elsegood and W. Clegg.
Inorg. Chim. Acta 2000, **304**, 301–304.
- 687.** Base-specific minor groove site binding in metallo-nucleobase polymers
 M. A. Shipman, C. Price, M. R. J. Elsegood, W. Clegg and A. Houlton.
Angew. Chem. Internat. Edit. Engl. 2000, **39**, 2360–2362.
- 688.** Dimethyl 9,10-anthracenedicarboxylate: a centrosymmetric *transoid* molecule
 S. Jones, J. C. C. Atherton, M. R. J. Elsegood and W. Clegg.
Acta Cryst. 2000, **C56**, 881–883.

- 689.** Synthesis, characterisation and crystal structure of a 1,4-diazacycloheptane complex of copper(II)
 S. Sen, M. K. Saha, S. Mitra, A. J. Edwards and W. Clegg.
Polyhedron 2000, **19**, 1881–1885.
- 690.** 2-Bromocyclohexanone perhydrate — X-ray crystal structure and conformational effects on reactivity in sulfoxidations
 A. J. Carnell, W. Clegg, R. A. W. Johnstone, C. C. Parsy and W. R. Sanderson.
Tetrahedron 2000, **56**, 6571–6575.
- 691.** Parallels between the chemistry of calcium(II) and ytterbium(II). Synthesis and crystal structure of a calcium alkoxo-phosphide cuboidal complex
 K. Izod, W. Clegg and S. T. Liddle.
Organometallics 2000, **19**, 3640–3643.
- 692.** ‘Inverse crown ether’ complexes extended to group 12 through the syntheses of $[\text{Na}_2\text{Zn}_2(\text{HMDS})_4(\text{O})]$ and $[\{\text{K}_2\text{Zn}_2(\text{HMDS})_4(\text{O}_2)_x(\text{O})_y\}_\infty]$
 G. C. Forbes, A. R. Kennedy, R. E. Mulvey, R. B. Rowlings, W. Clegg, S. T. Liddle and C. C. Wilson.
Chem. Commun. 2000, 1759–1760.
- 693.** Synchrotron chemical crystallography
 W. Clegg.
J. Chem. Soc. Dalton Trans. 2000, 3223–3232.
- 694.** Synthesis and structural characterization of Sm(II) and Yb(II) complexes containing sterically demanding, chelating secondary phosphide ligands
 K. Izod, P. O’Shaughnessy, J. M. Sheffield, W. Clegg and S. T. Liddle.
Inorg. Chem. 2000, **39**, 4741–4748.
- 695.** Unprecedented stabilization of cobalt(II) in a tetrahedral S_2O_2 environment: the use of a redox-noninnocent ligand
 N. Duran, W. Clegg, L. Cucurull-Sánchez, R. A. Coxall, H. R. Jiménez, J.-M. Moratal, F. Lloet and P. González-Duarte.
Inorg. Chem. 2000, **39**, 4821–4832.
- 696.** Crystal structure of $(\text{H}_3\text{O})_4[\text{W}_3\text{S}_7\text{Cl}_6]_2(\text{C}_{36}\text{N}_{24}\text{O}_{12}\text{H}_{36}) \cdot 8\text{H}_2\text{O}$ – a supramolecular cluster adduct with cucurbituril
 O. A. Gerasko, A. V. Virovets, D. N. Dybtsev, W. Clegg and V. P. Fedin.
Koord. Khim. 2000, **26**, 512–515.
- 697.** Synthesis, structures, and solution dynamics of functionalized phosphinomethanide complexes of the alkali metals
 M. N. S. Hill, K. Izod, P. O’Shaughnessy and W. Clegg.
Organometallics 2000, **19**, 4531–4535.
- 698.** Reactions of alkynes with $[\text{Fe}_2(\text{CO})_6(\mu-\text{PPh}_2)\{\mu-\eta^1:\eta^2_{\alpha,\beta}-(\text{H})\text{C}_\alpha=\text{C}_\beta=\text{C}_\gamma\text{H}_2\}]$: formation of diphenylvinylphosphine-functionalized vinyl carbenes via carbon–carbon and carbon–phosphorus bond formation and hydrogen migration
 S. Doherty, G. Hogarth, M. Waugh, W. Clegg and M. R. J. Elsegood.
Organometallics 2000, **19**, 4557–4562.
- 699.** Two isostructural triboluminescent lanthanide complexes
 W. Clegg, I. Sage, I. Oswald, P. Brough and G. Bourhill.
Acta Cryst. 2000, **C56**, 1323–1325.

- 700.** Tetracycline hydrochloride: a synchrotron microcrystal study
 W. Clegg and S. J. Teat.
Acta Cryst. 2000, **C56**, 1343–1345.
- 701.** Direct bromination of Keggin fragments to give $[PW_9O_{28}Br_6]^{3-}$: a polyoxotungstate with a hexabrominated face
 R. J. Errington, R. L. Wingad, W. Clegg and M. R. J. Elsegood.
Angew. Chem. Internat. Edit. Engl. 2000, **39**, 3885–3886.
- 702.** Niobium η -cyclopentadienyl compounds with imido and amido ligands derived from *tert*-butylamine
 M. J. Humphries, M. L. H. Green, M. A. Leech, V. C. Gibson, M. Jolly, D. N. Williams,
 M. R. J. Elsegood and W. Clegg.
J. Chem. Soc. Dalton Trans. 2000, 4044–4051.
- 703.** Remarkable differences in catalyst activity and selectivity for the production of methyl propanoate versus CO-ethylene copolymer by a series of palladium complexes of related C₄-bridged diphosphines
 J. G. Knight, S. Doherty, A. Harriman, E. G. Robins, M. Betham, G. R. Eastham, R. P. Tooze,
 M. R. J. Elsegood, P. A. Champkin and W. Clegg.
Organometallics 2000, **19**, 4957–4967.
- 704.** A remarkable isostructural homologous series of mixed lithium–heavier alkali metal *tert*-butoxides $[(t\text{-BuO})_8\text{Li}_4\text{M}_4]$ (M = Na, K, Rb or Cs)
 D. R. Armstrong, W. Clegg, A. M. Drummond, S. T. Liddle and R. E. Mulvey.
J. Am. Chem. Soc. 2000, **122**, 11117–11124.
- 705.** A three-dimensional, cyano-bridged cluster-metal coordination compound with large cavities
 V. P. Fedin, A. V. Virovets, I. V. Kalinina, V. N. Ikorskii, M. R. J. Elsegood and W. Clegg.
Eur. J. Inorg. Chem. 2000, 2341–2343.
- 706.** Properties and single-crystal X-ray structure of bis[3,3''-bis(4-methylphenyl)-2,2':6',2''-terpyridine]iron(II) hexafluorophosphate–acetonitrile–diisopropyl ether (1/1.5/1)
 A. C. Benniston, L. J. Farrugia, P. R. Mackie, P. Mallinson, W. Clegg and S. J. Teat.
Aust. J. Chem. 2000, **53**, 707–713.
- 707.** Monomer, dimer, tetramer, polymer: structural diversity in zinc and cadmium complexes of chelate-tethered nucleobases
 M. A. Shipman, C. Price, A. E. Gibson, M. R. J. Elsegood, W. Clegg and A. Houlton.
Chem. Eur. J. 2000, **6**, 4371–4378.
- 708.** Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex
 W. Clegg, K. Izod and S. T. Liddle.
J. Organomet. Chem. 2000, **613**, 128–131.
- 709.** Conversion of σ , η -allenyl group into a σ , σ -(diphenylphosphino)allyl and a hexa-1,3,5-triene-2,6-diyl ligand at a diiron center
 S. Doherty, G. Hogarth, M. Waugh, W. Clegg and M. R. J. Elsegood.
Organometallics 2000, **19**, 5696–5708.
- 710.** B-frame supported bimetallics. ‘Composite cluster’ compounds and the structures of $[2,7-(\eta^5\text{-C}_5\text{Me}_5)_2-nido-2,7,8,6\text{-Ir}_2\text{CSB}_6\text{H}_8]$ and its 9-chloro derivative. Synchrotron and conventional X-ray studies
 P. A. Cooke, C. O’Dowd, M. G. S. Londesborough, J. Holub, B. Štíbr, M. Thornton-Pett,
 W. Clegg, S. J. Teat and J. D. Kennedy.
J. Organomet. Chem. 2000, **614–615**, 57–60.