

PUBLICATIONS: W. CLEGG 2001

- 711.** Structure Reports Online: the birth of a new journal
 W. Clegg and D. G. Watson.
Acta Cryst. 2001, **E57**, e1–e2.
- 712.** A 2-styrylboronate ester
 W. Clegg, T. B. Marder, A. J. Scott, C. Wiesauer and W. Weissensteiner.
Acta Cryst. 2001, **E57**, o63–o65.
- 713.** Carboxylate versus imidobenzoate bonding for anthranilic acid derivatives. Crystal structures of $[W(\eta\text{-C}_5\text{Me}_5)\text{Cl}_3(\eta^2\text{-O}_2\text{CC}_6\text{H}_4\text{NH}_2\text{-}2)]$ and $[\text{ReCl(OEt)}(\text{PPh}_3)_2(\text{NC}_6\text{H}_4\text{CO}_2)]$
 V. C. Gibson, C. Redshaw, W. Clegg and M. R. J. Elsegood.
Inorg. Chem. Commun. 2001, **4**, 95–99.
- 714.** α - β Alkenyl isomerisation at diiron centres
 M. K. Anwar, G. Hogarth, O. S. Senturk, W. Clegg, S. Doherty and M. R. J. Elsegood.
J. Chem. Soc. Dalton Trans. 2001, 341–352.
- 715.** Synthesis and structural characterisation of $[\text{Mo}(\text{NNPh}_2)(\text{NPh}_2)(\text{mesityl})_2(\text{OC}_6\text{F}_5)]$ and $\{[\text{W}(\text{NNPh}_2)(\text{NPh}_2)(\text{OSiMe}_3)]_2(\mu\text{-Cl})_2(\mu\text{-O})\}$: isodiazene complexes with bulky amide groups arising via N–N bond cleavage
 C. Redshaw, W. Clegg and M. R. J. Elsegood.
Polyhedron 2001, **20**, 119–123.
- 716.** Coordination chemistry of $[\text{Nb}_2(\text{S}_2)_2]^{4+}$ clusters: preparation and crystal structures of $\text{K}_4[\text{Nb}_2(\text{S}_2)_2(\text{C}_2\text{O}_4)_4]\cdot 6\text{H}_2\text{O}$ and $(\text{NH}_4)_6[\text{Nb}_2(\text{S}_2)_2(\text{C}_2\text{O}_4)_4](\text{C}_2\text{O}_4)$
 M. Sokolov, A. Virovets and W. Clegg.
Z. Anorg. Allg. Chem. 2001, **627**, 119–123.
- 717.** Ruthenium–carbon bond formation via cyclometallation of a nucleobase
 C. Price, M. A. Shipman, S. L. Gummerson, A. Houlton, W. Clegg and M. R. J. Elsegood.
J. Chem. Soc. Dalton Trans. 2001, 353–354.
- 718.** Cation-induced structural variations in the alkali metal derivatives of 2-trimethylsilylaminopyridine: synthesis and X-ray structures of complexes for all five metals Li–Cs with 12-crown-4
 S. T. Liddle and W. Clegg.
J. Chem. Soc. Dalton Trans. 2001, 402–408.
- 719.** Synthesis and crystal structure of the new heteroleptic magnesium bis(amide) $[\{\text{Mg}[\mu\text{-N(H)}\text{Ph}][\text{N}(\text{SiMe}_3)_2]\cdot\text{THF}\}_2]$, and density functional MO calculations on model systems
 D. R. Armstrong, W. Clegg, R. E. Mulvey and R. B. Rowlings.
J. Chem. Soc. Dalton Trans. 2001, 409–413.
- 720.** Synthesis and crystal structure of a copper(I) complex containing tetrathiomolybdate and dihydrobis(3,5-dimethylpyrazolyl)borate ligands: $[\text{Et}_4\text{N}]_2[(\text{Bp}')\text{CuMoS}_4\text{Cu}_2(\mu\text{-Bp}')_2\text{Cu}_2\text{MoS}_4\text{Cu}(\text{Bp}')] (\text{Bp}' = \text{H}_2\text{B}(3,5\text{-Me}_2\text{Pz})_2)$ and crystal structure of $[(\text{Bp}')_2\text{Cu}]$
 A. Beheshti, W. Clegg and M. H. Sadr.
Polyhedron 2001, **20**, 179–183.
- 721.** Migratory insertion and CO substitution reactions of the β , γ -unsaturated esters and amides $[\text{Fe}_2(\text{CO})_5(\mu\text{-PPh}_2)(\mu\text{-}\eta^1\text{:}\eta^2\text{-}\{\text{NuC(O)CH}_2\}\text{C=CH}_2)]$ ($\text{Nu} = \text{OMe}, \text{OEt}, \text{OPr}^i, \text{NHPH}, \text{NHBu}^t$): synthesis and characterisation of acyl-bridged $[\text{Fe}_2(\text{CO})_4\text{L}_2(\mu\text{-PPh}_2)(\mu\text{-C=O}\{\text{C=CH}_2\}\text{CH}_2\text{C(O)Nu})]$ ($\text{L}_2 = \text{dppm}, \text{dppe}$) and alkenyl-bridged $[\text{Fe}_2(\text{CO})_4\{\text{P}(\text{OMe})_3\}_2(\mu\text{-PPh}_2)(\mu\text{-}\eta^1\text{:}\eta^2\text{-}\{\text{NuC(O)CH}_2\}\text{C=CH}_2)]$
 S. Doherty, G. Hogarth, M. Waugh, T. H. Scanlan, M. R. J. Elsegood and W. Clegg.
J. Organomet. Chem. 2001, **620**, 150–164.

- 722.** Schiff bases derived from mercury(II)-aminothiolate complexes as metalloligands for transition metals
X. Almagro, W. Clegg, L. Cucurull-Sánchez, P. González-Duarte and M. Traveria.
J. Organomet. Chem. 2001, **623**, 137–148.
- 723.** Synthesis of fluorescent stilbene and tolan rotaxanes by Suzuki coupling
C. A. Stanier, M. J. O'Connell, W. Clegg and H. L. Anderson.
Chem. Commun. 2001, 493–494.
- 724.** The first structurally authenticated Rb-PR₃ and Cs-PR₃ contacts. Synthesis and crystal structures of [Rb{(Me₃Si)₂CP(C₆H₄-2-CH₂NMe₂)₂}]_n and [Cs{(Me₃Si)₂CP(C₆H₄-2-CH₂NMe₂)₂}](toluene)]_n
K. Izod, W. Clegg and S. T. Liddle.
Organometallics 2001, **20**, 367–369.
- 725.** Regioselective metalation of a tertiary phosphine. Synthesis and structural characterization of an unusual tetrameric lithium phosphinomethanide
K. Izod, P. O'Shaughnessy, W. Clegg and S. T. Liddle.
Organometallics 2001, **20**, 648–653.
- 726.** Macrochelation, cyclometallation and G-quartet formation: N³- and C⁸-bound Pd^{II} complexes of adenine and guanine
C. Price, M. A. Shipman, N. H. Rees, M. R. J. Elsegood, A. J. Edwards, W. Clegg and A. Houlton.
Chem. Eur. J. 2001, **7**, 1194–1201.
- 727.** The oxidative rearrangement of furan-2-carboximidamides: preparation and properties of 2-acylaminofurans
M. Bobošiková, W. Clegg, S. J. Coles, M. Dandzárová, M. B. Hursthause, T. Kiss, A. Krutošiková, T. Liptaj, N. Prónayová and C. A. Ramsden.
J. Chem. Soc. Perkin Trans. 1 2001, 680–689.
- 728.** The synthesis of cyclic tetrapeptoid analogues of the antiprotozoal natural product apicidin
P. J. Murray, M. Kranz, M. Ladlow, S. Taylor, F. Berst, A. B. Holmes, K. N. Keavey, A. Jaxa-Chamiec, P. W. Seale, P. Stead, R. J. Upton, S. L. Croft, W. Clegg and M. R. J. Elsegood.
Bioorg. Med. Chem. Lett. 2001, **11**, 773–776.
- 729.** Phosphine promoted substituent redistribution reactions of B-chlorocatechol borane: molecular structures of ClBcat, BrBcat and L·ClBcat (cat = 1,2-O₂C₆H₄; L = PMe₃, PEt₃, PBu^t₃, PCy₃, NEt₃)
R. B. Coapes, F. E. S. Souza, M. A. Fox, A. S. Batsanov, A. E. Goeta, D. S. Yufit, M. A. Leech, J. A. K. Howard, A. J. Scott, W. Clegg and T. B. Marder.
J. Chem. Soc. Dalton Trans. 2001, 1201–1209.
- 730.** Lithium alkylselenolates and -tellurolates – a solid-state and solution structural study
W. Clegg, R. P. Davies, R. Snaith and A. E. H. Wheatley.
Eur. J. Inorg. Chem. 2001, 1411–1413.
- 731.** Zirconium-mediated synthesis of a new class of 1,4-bis(diphenylphosphino)-1,3-butadiene-bridged diphosphine, NUPHOS: highly efficient catalysts for palladium-mediated cross couplings
S. Doherty, J. G. Knight, E. G. Robins, T. H. Scanlan, P. A. Champkin and W. Clegg.
J. Am. Chem. Soc. 2001, **123**, 5110–5111.
- 732.** Dialkylscandium complexes supported by β -diketiminato ligands: synthesis, characterization, and thermal stability of a new family of organoscandium complexes
P. G. Hayes, W. E. Piers, L. W. M. Lee, L. K. Knight, M. Parvez, M. R. J. Elsegood and W. Clegg.
Organometallics 2001, **20**, 2533–2544.

- 733.** Basicities of nickel and allyl in $[\text{Ni}(\eta^3\text{-C}_3\text{H}_5)(\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2)]^+$ and comparison of the effects of allyl and methyl on the basicity of nickel
 W. Clegg, G. Cropper, R. A. Henderson, C. Strong and B. Parkinson.
Organometallics 2001, **20**, 2579–2582.
- 734.** Complexes of heterocyclic thiones and group 12 metals. Part four. Preparation and characterisation of 1:1 complexes of mercury(II) halides with 1,3-thiazolidine-2-thione and 1,3-benzothiazoline-2-thione. Crystal structure of the discrete trans dimer $[(\mu\text{-dibromo})\text{bis}(\text{trans}\{\text{(bromo)}(1,3\text{-thiazolidine-2-thione)\}}\text{mercury(II)})]$
 N. A. Bell, T. N. Branston, W. Clegg, L. Parker, E. S. Raper, C. Sammon and C. P. Constable.
Inorg. Chim. Acta 2001, **319**, 130–136.
- 735.** Isomeric icosaboranes $\text{B}_{20}\text{H}_{26}$: the synchrotron structure of 1,1'-bis(*nido*-decaboranyl)
 J. Bould, W. Clegg, J. D. Kennedy and S. J. Teat.
Acta Cryst. 2001, **C57**, 779–780.
- 736.** Formation of group 14 and 15 heteroatom derivatives of trinuclear $[\text{M}_3\text{Se}_4(\text{H}_2\text{O})_9]^{4+}$ ($\text{M} = \text{Mo, W}$) and the decreased reactivity of $[\text{W}_3\text{S}_4(\text{H}_2\text{O})_9]^{4+}$
 R. Hernandez-Molina, M. R. J. Elsegood, W. Clegg and A. G. Sykes.
J. Chem. Soc. Dalton Trans. 2001, 2173–2178.
- 737.** Metal-assisted reactions. Part 29. Structure and hydrogenolysis of C—N bonds in derivatives of aromatic amines. Bond length and electronegativity changes from X-ray crystallographic data
 A. F. Brigas, W. Clegg, C. J. Dillon, C. F. C. Fonseca and R. A. W. Johnstone.
J. Chem. Soc. Perkin Trans. 2 2001, 1315–1324.
- 738.** Synthesis and structure of the novel mixed anion-dianion lithium cage compound $[(6\text{-LiCH}_2\text{Py-2-OLi})_4(6\text{-CH}_3\text{Py-2-OLi})_2(\text{thf})_9]$
 S. T. Liddle and W. Clegg.
Chem. Commun. 2001, 1584–1585.
- 739.** Bis $[\mu\text{-1-(2,4,6-trimethylphenyl)ethanolato-O:O}]$ -bis(dimethylaluminium)
 W. Clegg, K. W. Henderson and I. M. Rakov.
Acta Cryst. 2001, **E57**, m387–m389.
- 740.** Ligand effects in the syntheses of molecular main group metal species containing interstitial hydride
 D. R. Armstrong, R. P. Davies, W. Clegg, S. T. Liddle, D. J. Linton, P. Schooler, R. Snaith and A. E. H. Wheatley.
Phosphorus, Sulfur and Silicon 2001, **168**, 93–98.
- 741.** *N*-tritylhydroxylamines: preparations, structures, base strengths, and reactions with nitrous acid and perchloric acid
 M. Canle L., W. Clegg, I. Demirtas, M. R. J. Elsegood, J. Haider, H. Maskill and P. C. Miatt.
J. Chem. Soc. Perkin Trans. 2 2001, 1742–1747.
- 742.** Preparation and properties of heterometallic cube derivatives $\text{Mo}_3\text{M}'\text{S}_4$ from $[\text{Mo}_3\text{S}_4(\text{H}_2\text{O})_9]^{4+}$ with $\text{M}' = \text{Pt, Rh and Re}$, and $[\text{W}_3\text{S}_4(\text{H}_2\text{O})_9]^{4+}$ analogues
 M. N. Sokolov, D. Villagra, A. M. El-Hendawy, C.-H. Kwak, M. R. J. Elsegood, W. Clegg and A. G. Sykes.
J. Chem. Soc. Dalton Trans. 2001, 2611–2615.
- 743.** Inner- and outer-sphere co-ordination of the minor groove site of adenine by alkali metal ions
 A. E. Gibson, C. Price, W. Clegg and A. Houlton.
J. Inorg. Biochem. 2001, **86**, 234.

- 744.** Triple linking of the decaboranyl cluster. Structure of $[(\text{SMe}_2)_2\text{B}_{10}\text{H}_{10}(\text{B}_{10}\text{H}_{13})_2]$ as determined by synchrotron X-ray diffraction analysis
 J. Bould, U. Dörfler, W. Clegg, S. J. Teat, M. Thornton-Pett and J. D. Kennedy.
Chem. Commun. 2001, 1788–1789.
- 745.** Synthesis and crystal structure determination of $[\text{PPh}_4][\text{WO}_2\text{S}_2(\text{CuPPh}_3)]$ and of $[\text{Et}_4\text{N}]_2[\text{WS}_4(\text{CuNCSe})_4]$ with a sheet polymeric anion. Synthesis and characterisation of $[\text{PPh}_4]_2[\text{WO}_2\text{S}_2(\text{CuNCS})]$
 A. Beheshti, W. Clegg and H. Fallah.
Inorg. Chim. Acta 2001, **322**, 1–6.
- 746.** Diaquabis(*N,N*-diethylnicotinamide)bis(2-hydroxybenzoato)zinc(II)
 H. Necefoglu, W. Clegg and A. J. Scott.
Acta Cryst. 2001, **E57**, m462–m464.
- 747.** Diaquabis(*N,N*-diethylnicotinamide)bis(4-nitrobenzoato)zinc(II)
 H. Necefoglu, W. Clegg and A. J. Scott.
Acta Cryst. 2001, **E57**, m465–m466.
- 748.** Diaquabis(4-nitrobenzoato)zinc(II): a redetermination
 H. Necefoglu, W. Clegg and A. J. Scott.
Acta Cryst. 2001, **E57**, m472–m474.
- 749.** Regioselective tetrametalation of ferrocene in a single reaction: extension of s-block inverse crown chemistry to the d-block
 W. Clegg, K. W. Henderson, A. R. Kennedy, R. E. Mulvey, C. T. O'Hara, R. B. Rowlings and D. M. Tooke.
Angew. Chem. Internat. Edit. Engl. 2001, **40**, 3902–3905.
- 750.** Selectivity for the methoxycarbonylation of ethylene versus CO–ethylene copolymerisation with catalysts based on C₄-bridged bidentate phosphines and phospholes
 S. Doherty, E. G. Robins, J. G. Knight, C. R. Newman, B. Rhodes, P. A. Champkin and W. Clegg.
J. Organomet. Chem. 2001, **640**, 182–196.
- 751.** Crystal structure of a supramolecular adduct of tetrachloroferrate(III) with cucurbituril ($\text{H}_7\text{O}_3)_4[\text{FeCl}_4]_2\text{Cl}_2 \cdot \text{C}_{36}\text{H}_{36}\text{N}_{24}\text{O}_{12} \cdot 3\text{H}_2\text{O}$
 A. V. Virovets, D. G. Samsonenko, D. N. Dybtsev, V. P. Fedin and W. Clegg.
J. Struct. Chem. 2001, **42**, 319–321.
- 752.** Synthesis, crystal structure determination, and biological properties of the DNA-dependent protein kinase (DNA-PK) inhibitor 3-cyano-6-hydrazonomethyl-5-(4-pyridyl)pyrid-[1H]-2-one (OK-1035)
 M. Stockley, W. Clegg, G. Fontana, B. T. Golding, N. Martin, L. J. M. Rigoreau, G. C. M. Smith and R. J. Griffin.
Bioorg. Med. Chem. Lett. 2001, **11**, 2837–2841.
- 753.** Preparation, structure and reactivity of Ge-containing heterometallic cube derivatives of $[\text{M}_3\text{E}_4(\text{H}_2\text{O})_9]^{4+}$ (M = Mo, W; E = S, Se)
 M.-S. Seo, V. P. Fedin, M. N. Sokolov, R. Hernandez-Molina, A. Sokolowski, M. R. J. Elsegood, W. Clegg and A. G. Sykes.
Inorg. Chem. 2001, **40**, 6115–6122.
- 754.** Preparation, structure, and properties of the corner-shared double cubes $[\text{Mo}_6\text{HgQ}_8(\text{H}_2\text{O})_{18}]^{8+}$ (Q = S, Se) and tungsten analogues
 V. P. Fedin, M. Sokolov, G. J. Lamprecht, R. Hernandez-Molina, M.-S. Seo, A. V. Virovets, W. Clegg and A. G. Sykes.
Inorg. Chem. 2001, **40**, 6598–6603.

- 755.** Stereocontrolled approaches to 2-(2-aminoalkyl)-1-hydroxycyclopropanes
M. S. Baird, F. A. M. Huber and W. Clegg.
Tetrahedron 2001, **57**, 9849–9858.
- 756.** Formation of $[M(15\text{-crown-}5)]_2[Li(NHPy)_3]$ ($M = K$ or Cs): the first structurally authenticated examples of a monomeric lithium species coordinated by three amide anions
S. T. Liddle and W. Clegg.
J. Chem. Soc. Dalton Trans. 2001, 3549–3550.
- 757.** Introduction to symmetry and diffraction
W. Clegg.
B. C. A. Intensive School, Durham University 2001, unnumbered pages.
- 758.** Space group determination
W. Clegg.
B. C. A. Intensive School, Durham University 2001, unnumbered pages.
- 759.** Fourier syntheses
W. Clegg.
B. C. A. Intensive School, Durham University 2001, unnumbered pages.
- 760.** Patterson syntheses for structure determination
W. Clegg.
B. C. A. Intensive School, Durham University 2001, unnumbered pages.
- 761.** Synthesis and the crystal structure of the supramolecular complex $[Cl_3InW_3S_4(H_2O)_9]^{2+}$ with cucurbituril
M. N. Sokolov, D. N. Dybtsev, A. V. Virovets, W. Clegg and V. P. Fedin.
Russ. Chem. Bull. Int. Ed. 2001, **50**, 1144–1147.