

PUBLICATIONS: W. CLEGG 2007

- 986.** Alkali metal complexes of sterically demanding amino-functionalised secondary phosphanide ligands
K. Izod, J. C. Stewart, W. Clegg and R. W. Harrington.
Dalton Trans. 2007, 257–264.
- 987.** Electrochromic properties of a fast switching, dual colour polythiophene bearing non-planar dithiinoquinoxaline units
R. Berridge, S. P. Wright, P. J. Skabara, A. Dyer, T. Steckler, A. A. Argun, J. Reynolds, R. W. Harrington and W. Clegg.
J. Mater. Chem. 2007, 17, 225–231.
- 988.** σ -Bonded organometallic derivatives of yttrium(III) and thulium(III): an unusual ligand coupling reaction mediated by thulium(III)
L. J. Bowman, K. Izod, W. Clegg and R. W. Harrington.
J. Organomet. Chem. 2007, 692, 806–812.
- 989.** Dizincation and dimagnesiation of benzene using alkali-metal-mediated metallation
D. R. Armstrong, W. Clegg, S. H. Dale, D. V. Graham, E. Hevia, L. M. Hogg, G. W. Honeyman, A. R. Kennedy and R. E. Mulvey.
Chem. Commun. 2007, 598–600.
- 990.** Structure Reports Online: sustained growth and new developments for 2007
W. Clegg and D. G. Watson.
Acta Cryst. 2007, E63, e11–e12.
- 991.** *trans*-Bis(aniline- κN)dichlorobis(ethanol- κO)cobalt(II)
W. Clegg and N. C. Martin.
Acta Cryst. 2007, E63, m856.
- 992.** 5-(1-Methylbutyl)-5-propenylbarbituric acid (quinal barbitone)
G. S. Nichol and W. Clegg.
Acta Cryst. 2007, E63, o1632–o1634.
- 993.** A synchrotron study of *catena*-poly[(tri- μ -aqua)triaquabarrium(II) bis(6-methylpyridin-2-olate)]
G. S. Nichol and W. Clegg.
Acta Cryst. 2007, E63, m1135–m1137.
- 994.** Bis(triethylammonium) tetrachloridomanganate(II)
W. Clegg and N. C. Martin.
Acta Cryst. 2007, E63, m1151.
- 995.** Tetrakis(1,10-phenanthrolinium) hexachloridoeuropate(III) chloride
W. Clegg and R. W. Harrington.
Acta Cryst. 2007, E63, m1152.
- 996.** Solid phase and solution phase structural characterization of pyrene-based, T-shaped molecular dyads
D. P. Lydon, P. Li, A. C. Benniston, W. McFarlane, R. W. Harrington and W. Clegg.
Eur. J. Org. Chem. 2007, 1653–1658.
- 997.** Structural variations in bimetallic sodium–magnesium and sodium–zinc ketimides, and a sodium–zinc alkide–alkoxide–amide: connections to ring-stacking, ring-laddering, and inverse crown concepts
W. Clegg, S. H. Dale, D. V. Graham, R. W. Harrington, E. Hevia, L. M. Hogg, A. R. Kennedy and R. E. Mulvey.
Chem. Commun. 2007, 1641–1643.

- 998.** Asymmetric hydrogenation of ketones with ruthenium complexes of *rac*- and enantiopure (*S,S*)-1,2-bis(diphenylphosphinomethyl)cyclohexane: a comparative study with *rac*- and (*R*)-BINAP
S. Doherty, J. G. Knight, A. L. Bell, R. W. Harrington and W. Clegg.
Organometallics 2007, **26**, 2465–2468.
- 999.** Bis(tetrabutylammonium) μ -oxalato-bis[dibromidodioxidotungstate(VI)]
W. Clegg, M. R. J. Elsegood, R. J. Errington and R. L. Wingad.
Acta Cryst. 2007, **E63**, m1269–m1270.
- 1000.** Synthesis and structures of Ln(II) and Ln(III) dialkyls derived from LnI₂ (Ln = Nd, Tm, Yb)
L. J. Bowman, K. Izod, W. Clegg and R. W. Harrington.
Organometallics 2007, **26**, 2646–2651.
- 1001.** Novel 1:1 cocrystal of benzoic acid and 2-(benzothiazol-2-yl)-1-phenylethenyl benzoate
H. Loghmani-Khouzani, M. M. Sadeghi, M. H. Habibi, R. W. Harrington, W. Clegg and M. H. Ghorbani.
Anal. Sci. 2007, **23**, x41–x42.
- 1002.** Synthesis and crystal structure of chloro{bis[*N,N'*-(2-chlorobenzylidene)]ethylenediamine}-
(triphenylphosphine)copper(I)
M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x45–x46.
- 1003.** Crystal structure of *N,N'*-bis(4-trifluoromethoxybenzylidene)ethylenediamine
M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x47–x48.
- 1004.** Synthesis and crystal structure of [CuL(PPh₃)Cl] L = *N,N'*-bis(4-trifluoromethylbenzylidene)-
ethylenediamine
M. H. Habibi, M. Montazerozohori, A. Lalegani, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x49–x50.
- 1005.** *N,N'*-Bis(2-nitrocinnamaldehyde)ethylenediaminedichlorozinc(II)
M. H. Habibi, M. Montazerozohori, A. Lalegani, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x51–x52.
- 1006.** Crystal structure of *N,N'*-bis(3-nitrobenzylidene)butane-1,4-diamine
M. H. Habibi, K. Barati, M. Zendehdel, R. W. Harrington and W. Clegg.
Anal. Sci. 2007, **23**, x61–x62.
- 1007.** *N,N'*-Bis[4-trifluoromethyl]benzylidene]butane-1,4-diamine
M. H. Habibi, M. Zendehdel, K. Barati, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, o2515–o2516.
- 1008.** Alkaline earth metal complexes of a phosphine-borane-stabilized carbanion: synthesis, structures and stabilities
K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Inorg. Chem. 2007, **46**, 4320–4325.
- 1009.** Violuric acid monohydrate: a second polymorph with more extensive hydrogen bonding
K. Guille, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **C63**, o327–o329.

- 1010.** Synthesis, crystal structures, and spectroscopic characterization of the neutral monomeric tetrahedral $[M(\text{Diap})_2(\text{OAc})_2] \cdot \text{H}_2\text{O}$ complexes ($M = \text{Zn}, \text{Cd}$; Diap = 1,3-diazepane-2-thione; OAc = acetate) with N–H...O and O–H...O intra- and intermolecular hydrogen bonding interactions
 A. Beheshti, W. Clegg, S. H. Dale and R. Hyvadia.
Inorg. Chim. Acta 2007, **360**, 2967–2972.
- 1011.** Metalation of trimethylphosphine–borane. Unexpected reactivity of a simple phosphine–borane-stabilized carbanion toward siloxanes
 K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Organometallics 2007, **26**, 2861–2866.
- 1012.** The synthesis, structure and reactivity of $\text{B}(\text{C}_6\text{F}_5)_3$ -stabilised amide ($M-\text{NH}_2$) complexes of the group 4 metals
 A. J. Mountford, W. Clegg, S. J. Coles, R. W. Harrington, P. N. Horton, S. M. Humphrey, M. B. Hursthouse, J. A. Wright and S. J. Lancaster.
Chem. Eur. J. 2007, **13**, 4535–4547.
- 1013.** New coordination modes at molybdenum for 2-diphenylphosphinoaniline derived ligands
 C. Redshaw, V. C. Gibson, M. R. J. Elsegood and W. Clegg.
Chem. Commun. 2007, 1951–1953.
- 1014.** Asymmetric cyanohydrin synthesis using heterobimetallic catalysts obtained from titanium and vanadium complexes of chiral and achiral salen ligands
 Y. N. Belokon, W. Clegg, R. W. Harrington, C. Young and M. North.
Tetrahedron 2007, **63**, 5287–5299.
- 1015.** Sodium-mediated manganation: direct mono- and dimanganation of benzene and synthesis of a transition-metal inverse-crown complex
 L. M. Carrella, W. Clegg, D. V. Graham, L. M. Hogg, A. R. Kennedy, J. Klett, R. E. Mulvey, E. Rentschler and L. Russo.
Angew. Chem. Internat. Edit. 2007, **46**, 4662–4666.
- 1016.** μ_3 -Iodido-tri- μ_3 -sulfido-tris[(triphenylphosphine)silver(I)][thioxotungsten(VI)] dichloromethane 0.45-solvate
 A. Beheshti, W. Clegg, S. H. Dale and R. Hyvadi.
Acta Cryst. 2007, **E63**, m1990–m1991.
- 1017.** $[N,N'$ -Bis(6-methoxysalicylidene)-1,3-diaminopropane]copper(II)
 M. H. Habibi, R. Mokhtari, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, m1998.
- 1018.** Synthesis and structures of cadmium(II) complexes of a series of multinucleating N/S donor ligands
 T. K. Ronson, H. Adams, L. P. Harding, R. W. Harrington, W. Clegg and M. D. Ward.
Polyhedron 2007, **26**, 2777–2785.
- 1019.** Synthesis and characterization of mixed-metal complexes of Ag/Cu and W/Mo and a complex of Ag with heterocyclic thione ligands
 A. Beheshti, W. Clegg, S. H. Dale, R. Hyvadi and F. Hussaini.
Dalton Trans. 2007, 2949–2956.
- 1020.** Structure-based design of 2-arylamino-4-cyclohexylmethoxy-5-nitroso-6-aminopyrimidine inhibitors of cyclin-dependent kinase 2
 F. Marchetti, K. L. Sayle, J. Bentley, W. Clegg, N. J. Curtin, J. A. Endicott, B. T. Golding, R. J. Griffin, K. Haggerty, R. W. Harrington, V. Mesguiche, D. R. Newell, M. E. M. Noble, R. J. Parsons, D. J. Pratt, L. Z. Wang and I. R. Hardcastle.
Org. Biomol. Chem. 2007, **5**, 1577–1585.

- 1021.** Crystal structure of *N,N'*-bis(2-chlorobenzylidene)ethylenediamine
 M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington, W. Clegg and J.-H. Choi.
Anal. Sci. 2007, **23**, x117–x118.
- 1022.** The Schiff base *N,N'*-bis(3-nitrobenzylidene)propane-1,3-diamine
 M. H. Habibi, R. Mokhtari, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, o2881.
- 1023.** ‘Electronic bending’ of imido ligands and the effect on the coordination mode of a tridentate ancillary ligand
 V. C. Gibson, C. Redshaw, W. Clegg and M. R. J. Elsegood.
Polyhedron 2007, **26**, 3161–3167.
- 1024.** Multi-layered molecular charge-transfer salts containing alkali metal ions
 L. Martin, P. Day, W. Clegg, R. W. Harrington, P. N. Horton, A. Bingham, M. B. Hursthouse, P. McMillan and S. Firth.
J. Mater. Chem. 2007, **17**, 3324–3329.
- 1025.** Alkali metal complexes of a phosphine–borane-stabilised carbanion: influence of co-ligands on structure
 K. Izod, C. Wills, W. Clegg and R. W. Harrington.
Dalton Trans. 2007, 3669–3675.
- 1026.** Macropolyhedral boron-containing cluster chemistry. The unique *nido*-five-vertex-B_2-*nido*-ten-vertex *conjuncto* structure of $[(5\text{-C}_5\text{Me}_5)_2\text{Rh}_2\text{B}_{11}\text{H}_{15}]$ via an unexpected cluster-dismantling
 M. J. Carr, S. D. Perera, T. Jelínek, B. Štíbr, W. Clegg, C. A. Kilner and J. D. Kennedy.
Chem. Commun. 2007, 3559–3561.
- 1027.** Enantioselective and diastereoselective syntheses of cyanohydrin carbonates
 Y. N. Belokon, W. Clegg, R. W. Harrington, E. Ishibashi, H. Nomura and M. North.
Tetrahedron 2007, **63**, 9724–9740.
- 1028.** A 1:1 cocrystal of 4-(dimethylamino)benzaldehyde and 6-phenyl-1,3,5-triazine-2,4-diamine
 M. H. Habibi, M. Zendehdel, K. Barati, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **C63**, o474–o476.
- 1029.** [*N,N'*-Bis(6-methoxysalicylidene)-1,3-diaminopropane]nickel(II)
 M. H. Habibi, R. Mokhtari, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, m2304.
- 1030.** Bis[chloridobis(triphenylphosphine)copper(I)- μ -chlorido]bis(1,2-diaminopropane)copper(II) acetonitrile disolvate
 M. H. Habibi, M. Mikhak, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, m2305–m2306.
- 1031.** (*E*)-{4-Amino-3-[4-(dimethylamino)benzylideneamino]phenyl}(phenyl)methanone
 M. H. Habibi, M. Zendehdel, K. Barati, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, o2924.
- 1032.** Quinoline and pyridopyrimidinone inhibitors of DNA-dependent protein kinase
 O. R. Barbeau, C. Cano-Soumillac, R. J. Griffin, I. R. Hardcastle, G. C. M. Smith, C. Richardson, W. Clegg, R. W. Harrington and B. T. Golding.
Org. Biomol. Chem. 2007, **5**, 2670–2677.
- 1033.** A spectroscopic study of the reduction of geometrically restrained viologens
 A. C. Benniston, A. Harriman, P. Li, J. P. Rostron, R. W. Harrington and W. Clegg.
Chem. Eur. J. 2007, **13**, 7838–7851.

- 1034.** 2,3,5,6-Tetrakis[3,5-bis(trifluoromethyl)phenoxy]-2,5-bis(dimethylamino)-2,3,5,6-tetrabora-1,4-dioxane diethyl ether 0.667-solvate
W. Clegg, T. B. Marder, S. Nlate and A. J. Scott.
Acta Cryst. 2007, **C63**, o603–o605.
- 1035.** Mixed-ligand iminopyrrolato-salicylaldiminato group 4 metal complexes: optimising catalyst structure for ethylene/propylene copolymerisations
L. M. Broomfield, Y. Sarazin, J. A. Wright, D. L. Hughes, W. Clegg, R. W. Harrington and M. Bochmann.
J. Organomet. Chem. 2007, **692**, 4603–4611.
- 1036.** Influence of aromatic ring substituents and co-ligand on the binding mode of a phosphine–borane-stabilized carbanion; crystal structures of $[(\text{Me}_3\text{Si})_2\{\text{Ph}_2\text{P}(\text{BH}_3)\}\text{C}]KL_n$ [L_n = (OEt₂)₂, pmdda; pmdda = *N,N,N',N'',N''*-pentamethyldiethylenetriamine]
K. Izod, C. Wills, W. Clegg and R. W. Harrington.
J. Organomet. Chem. 2007, **692**, 5060–5064.
- 1037.** A second *C*2/*c* polymorph of butobarbitone
G. S. Nichol and W. Clegg.
Acta Cryst. 2007, **E63**, o4147.
- 1038.** Ammonium violurate: a compact three-dimensional structure with extensive hydrogen bonding in three dimensions
G. S. Nichol and W. Clegg.
Acta Cryst. 2007, **C63**, o609–o612.
- 1039.** Synthesis and reactivity of the methoxozirconium pentatungstate (ⁿBu₄N)₆[{(μ -MeO)ZrW₅O₁₈}₂]: insights into proton-transfer reactions, solution dynamics, and assembly of {ZrW₅O₁₈}²⁻ building blocks
R. J. Errington, S. S. Petkar, P. S. Middleton, W. McFarlane, W. Clegg, R. A. Coxall and R. W. Harrington.
J. Am. Chem. Soc. 2007, **129**, 12181–12196.
- 1040.** Metallic molecular crystals containing chiral or racemic guest molecules
L. Martin, P. Day, H. Akutsu, J. Yamada, S. Nakatsuji, W. Clegg, R. W. Harrington, P. N. Horton, M. B. Hursthouse, P. McMillan and S. Firth.
CrystEngComm 2007, **9**, 865–867.
- 1041.** Further thoughts on crystal structures with $Z' > 1$: analysis of single-crystal structures determined using X-ray synchrotron and neutron radiation in the Cambridge Structural Database
G. S. Nichol and W. Clegg.
CrystEngComm 2007, **9**, 959–960.
- 1042.** Crystal structures of new Schiff bases *N,N'*-bis(2-hydroxy-3-methoxybenzylidene)-1,4-diaminobutane and *N,N'*-bis(2-hydroxy-4-methoxybenzylidene)-1,4-diaminoethane
M. H. Habibi, M. K. Sardashti, K. Barati, R. W. Harrington and W. Clegg.
Z. Naturforsch. 2007, **62b**, 621–624.
- 1043.** Bis[*N*-(4-nitrophenyl)thiobenzamidato]mercury(II)
M. H. Habibi, S. Tangestaninejad, A. Fallah Shojaie, I. Mohammadpoor-Baltork, R. Mokhtari, N. R. Brooks and W. Clegg.
Acta Cryst. 2007, **C63**, m494–m495.
- 1044.** Structural and spectroscopic properties of *trans*-dichlorobis(2,2-dimethyl-1,3-diaminopropane)chromium(III) chloride
J.-H. Choi, W. Clegg, G. S. Nichol, S. H. Lee, Y. C. Park and M. H. Habibi.
Spectrochim. Acta A 2007, **68**, 796–801.

- 1045.** Formation of chelated counteranions using Lewis acidic diboranes: relevance to isobutene polymerization

J. Chai, S. P. Lewis, S. Collins, T. J. J. Sciarone, L. D. Henderson, P. A. Chase, G. J. Irvine, W. E. Piers, M. R. J. Elsegood and W. Clegg.
Organometallics 2007, **26**, 5667–5679.

- 1046.** 3,3'-Dimethoxy-2,2'-[*o*-phenylenebis(nitrilomethylidyne)]diphenol

M. H. Habibi, M. Montazerozohori, R. Mokhtari, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, o4462.

- 1047.** Non-aqueous synthetic methodology for TiW₅ polyoxometalates: protonolysis of [(MeO)TiW₅O₁₈]³⁻ with alcohols, water and phenols

R. J. Errington, S. S. Petkar, P. S. Middleton, W. Clegg, R. A. Coxall and R. W. Harrington.
Dalton Trans. 2007, 5211–5222.

- 1048.** Metal-dependent reactivity of electrophilic platinum group metal Lewis acid catalysts: competitive alkene dimerization, intramolecular Friedel-Crafts alkylation, and carbonyl-ene reactivity

S. Doherty, J. G. Knight, C. H. Smyth, R. W. Harrington and W. Clegg.
Organometallics 2007, **26**, 5961–5966.

- 1049.** Efficient asymmetric carbonyl-ene reactions catalyzed by platinum metal Lewis acid complexes of conformationally flexible NUPHOS diphosphines: a comparison with BINAP

S. Doherty, J. G. Knight, C. H. Smyth, R. W. Harrington and W. Clegg.
Organometallics 2007, **26**, 6453–6461.

- 1050.** {*N,N'*-Bis[(3-(2-nitrophenyl)prop-2-enylidene)ethylenediamine- $\kappa^2 N,N'$]chlorido(triphenylphosphine- κP)copper(I)}

M. H. Habibi, M. Montazerozohori, A. Lalegani, R. Mokhtari, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **E63**, m2933–m2934.

- 1051.** Bis[*N,N'*-(2-chlorobenzylidene)ethylenediamine- $\kappa^2 N,N'$]copper(I) dichloridocuprate(I) acetonitrile solvate

M. H. Habibi, M. Montazerozohori, K. Barati, R. W. Harrington and W. Clegg.
Acta Cryst. 2007, **C63**, m592–m594.

- 1052.** Rhodium-catalyzed double [2+2+2] cycloaddition of 1,4-bis(diphenylphosphinyl)buta-1,3-diyne with tethered diynes: a modular, highly versatile single-pot synthesis of BIPHEP-based diphosphines

S. Doherty, J. G. Knight, C. H. Smyth, R. W. Harrington and W. Clegg.
Org. Lett. 2007, **9**, 4925–4928.