

PUBLICATIONS: W. CLEGG 1990

- 279.** A novel tantalum butterfly oxo cluster
V. C. Gibson, T. P. Kee and W. Clegg.
J. Chem. Soc. Chem. Commun. 1990, 29–30.
- 280.** Studies of chromenes. Part 8. Addition versus rearrangement in silver ion-assisted solvolyses of trihalogenocyclopropa[c]chromenes
P. E. Brown, W. Clegg, Q. Islam and J. E. Steele.
J. Chem. Soc. Perkin Trans. 1 1990, 139–144.
- 281.** Very high diastereofacial selectivity in the nucleophilic epoxidation of N-(*p*-tolylsulphonyl)vinyl-sulphoximines
P. L. Bailey, W. Clegg, R. F. W. Jackson and O. Meth-Cohn.
J. Chem. Soc. Perkin Trans. 1 1990, 200–202.
- 282.** Unusual routes to complexes of binary alkali metal–non-metal compounds: preparations and crystal and solution structures of Li₂S₆·(tmeda)₂ (tmeda = tetramethylethylenediamine), and synthetic extensions of the routes
A. J. Banister, D. Barr, A. T. Brooker, W. Clegg, M. J. Cunnington, M. J. Doyle, S. R. Drake, W. R. Gill, K. Manning, P. R. Raithby, R. Snaith, K. Wade and D. S. Wright.
J. Chem. Soc. Chem. Commun. 1990, 105–107.
- 283.** *In situ* synthesis of phenyltrithiophosphonate: isolation and structure of [PPh₄][W₂S₄{S₂(S)PPh}₂]₂
J. M. Slater, C. D. Garner and W. Clegg.
J. Chem. Soc. Chem. Commun. 1990, 281–282.
- 284.** (η -C₅Me₅)Ta(CH₂CH₂CMe₃)₂(η^2 -CHPMe₂): a stable sixteen electron long-chain di-alkyl compound of tantalum
V. C. Gibson, T. P. Kee and W. Clegg.
J. Chem. Soc. Chem. Commun. 1990, 313–314.
- 285.** Polymeric and mixed carboxylate compounds: crystal structure of [Zn(tiglate)_{0.54}(benzoate)_{1.46}]_x
W. Clegg, D. R. Harbron and B. P. Straughan.
J. Cryst. Spect. Res. 1990, **20**, 17–22.
- 286.** [PhLiNCH₂CH₂NLiPh]·3HMPA, a monomeric dilithiummethylenediamide complex with N₂Li₂ double bridging: synthesis, crystal structure, and model MO calculations
D. R. Armstrong, D. Barr, A. T. Brooker, W. Clegg, K. Gregory, S. M. Hodgson, R. Snaith and D. S. Wright.
Angew. Chem. Internat. Edit. Engl. 1990, **29**, 410–411.
- 287.** X-ray crystallographic studies and dynamic ¹H NMR spectroscopic studies of the novel sodium aza-allyl monomer {[PhC(H)NC(H)Ph]Na·PMDETA}: a discrete contact ion-pair structure held together by a short N–Na bond, and showing close (*ortho*-Ph)C–H···Na contacts in both solid state and solution
P. C. Andrews, R. E. Mulvey, W. Clegg and D. Reed.
J. Organomet. Chem. 1990, **386**, 287–297.
- 288.** Structures of polymeric zinc 3,3-dimethylacrylate and zinc 2-chlorobenzoate
W. Clegg, D. R. Harbron, P. A. Hunt, I. R. Little and B. P. Straughan.
Acta Cryst. 1990, **C46**, 750–753.
- 289.** Isatogens: further studies of crystal structure, electron density, and ¹³C and ¹⁵N NMR spectra
D. B. Adams, M. Hooper, A. G. Morpeth, E. S. Raper, W. Clegg and B. Stoddart.
J. Chem. Soc. Perkin Trans. 2 1990, 1269–1274.

- 290.** Synthetic studies on cobalt carbonyl complexes containing antimony and bismuth. Crystal structures of $[\text{SbO}(\text{OH})\{\text{Co}(\text{CO})_3\text{L}\}_2$ [$\text{L} = \text{PPh}_3$ or $\text{P}(\text{C}_6\text{H}_4\text{Me}-p)_3$]
 W. Clegg, N. A. Compton, R. J. Errington, D. C. R. Hockless, N. C. Norman, M. Ramshaw and P. M. Webster.
J. Chem. Soc. Dalton Trans. 1990, 2375–2385.
- 291.** Novel S–N ring contractions using the 4-phenyl-1,2,3,5-dithiadiazole dimer, the synthesis and X-ray crystal structures of $[(\text{PhCN}_2\text{S}_2)_2\text{Cl}][\text{S}_3\text{N}_3]$, $[\text{PhCN}_2\text{S}_2][\text{S}_3\text{N}_3]$, and $[\text{PhCN}_2\text{S}_2][\text{S}_3\text{N}_2]\text{Cl}$, and an *ab initio* molecular-orbital study of the bonding in $[\text{PhCN}_2\text{S}_2][\text{S}_3\text{N}_3]$
 A. J. Banister, M. I. Hansford, Z. V. Hauptman, A. W. Luke, S. T. Wait, W. Clegg and K. A. Jørgensen.
J. Chem. Soc. Dalton Trans. 1990, 2793–2802.
- 292.** The rearrangement of coordinated η^2 -vinyl ligands into η^3 -allyl and alkylidyne species
 W. Clegg, M. Green, C. A. Hall, D. C. R. Hockless, N. C. Norman and C. M. Woolhouse.
J. Chem. Soc. Chem. Commun. 1990, 1330–1332.
- 293.** Synthesis and characterisation of half-sandwich tantalum compounds in oxidation states (I)–(V): tertiary phosphine, acetylene, butadiene, carbonyl, and oxo derivatives. X-ray crystal structures of $[\text{Ta}(\text{C}_5\text{Me}_5)\text{Cl}_3(\text{PMMe}_3)]$ and $[\text{Ta}(\text{C}_5\text{Me}_5)\text{Cl}_2(\text{CO})_2(\text{PMMe}_3)]$
 V. C. Gibson, T. P. Kee and W. Clegg.
J. Chem. Soc. Dalton Trans. 1990, 3199–3210.
- 294.** Synthesis, spectroscopy, and electrochemistry of heterocyclic thionato complexes of divalent nickel: crystal structure of tetraethylammonium *fac*-[tris(benzothiazoline-2-thionato)nickelate(II)]
 E. S. Raper, A. M. Britton and W. Clegg.
J. Chem. Soc. Dalton Trans. 1990, 3341–3345.
- 295.** Model studies of benzimidazole complexes of Cu, Zn, and Cd. Crystal structures of 1,5-bis(benzimidazol-2-yl)-3-thiapentane complexes of CuBr_2 and $\text{Cu}(\text{NO}_3)_2$ and nuclear magnetic resonance studies of exchange of 1,6-bis(benzimidazol-2-yl)-2,5-dithiahexane on Cd
 J. C. Lockhart, W. Clegg, M. N. S. Hill and D. J. Rushton.
J. Chem. Soc. Dalton Trans. 1990, 3541–3548.
- 296.** Structures of sulphur-nitrogen ring compounds with unusual electronic and magnetic properties
 W. Clegg.
Acta Cryst. 1990, **A46**, C287–C288.
- 297.** Synthesis of a tetrานuclear chromium(III) complex containing a central μ_4 -oxo and two μ_3 -sulphato ligands: X-ray crystal structure of $[\text{Ph}_4\text{P}]_3[\text{Cr}_4\text{O}(\mu_3\text{-SO}_4)_2(\mu\text{-Cl})_5\text{Cl}_4]\cdot\text{MeCN}$
 W. Clegg, R. J. Errington, D. C. R. Hockless, A. D. Glen and D. G. Richards.
J. Chem. Soc. Chem. Commun. 1990, 1565–1566.
- 298.** Alkyl and aryl dimetalla-bismuthine complexes
 W. Clegg, N. A. Compton, R. J. Errington, G. A. Fisher, N. C. Norman and N. Wishart.
J. Organomet. Chem. 1990, **399**, C21–C25.
- 299.** Structure of tetrakis(2,3-dihydro-1,3-thiazole-2-thione)palladium(II) dichloride 2,3-dihydro-1,3-thiazole-2-thione solvate
 E. S. Raper, A. M. Britton and W. Clegg.
Acta Cryst. 1990, **C46**, 2344–2346.
- 300.** Lewis-base-dictated structural variations in sodium amide chemistry: X-ray crystal structures of phenyl(2-pyridyl)amidosodium with hexamethylphosphoric triamide HMPA and with pentamethyldiethylenetriamine PMDETA
 P. C. Andrews, W. Clegg and R. E. Mulvey.
Angew. Chem. Internat. Edit. Engl. 1990, **29**, 1440–1441.

- 301.** Electrical and magnetic properties and X-ray structure of a highly conductive 4:1 complex of tetracyanoquinodimethane and a tetrathiafulvalene derivative

M. R. Bryce, A. J. Moore, M. Hasan, G. J. Ashwell, A. T. Fraser, W. Clegg, M. B. Hursthouse and A. I. Karaulov.

Angew. Chem. Internat. Edit. Engl. 1990, **29**, 1450–1452.