

PUBLICATIONS: W. CLEGG 1991

- 302.** Anionic, four-coordinate, 10-electron bismuth complexes
W. Clegg, N. A. Compton, R. J. Errington, G. A. Fisher, D. C. R. Hockless and N. C. Norman.
Polyhedron 1991, **10**, 123–126.
- 303.** Structures of the mixed-metal carboxylate base adducts $[\text{MgZn}_2(\text{crotonate})_6(4\text{-vinylpyridine})_2]$ and $[\text{MgCo}_2(\text{crotonate})_6(4\text{-vinylpyridine})_4]$
W. Clegg, D. R. Harbron and B. P. Straughan.
Acta Cryst. 1991, **C47**, 267–270.
- 304.** Structures of the tetrafluoroborate salts of triphenylcarbenium ions with one and with two 4-methoxy substituents: stable carbocations
C. Bleasdale, W. Clegg, S. B. Ellwood and B. T. Golding.
Acta Cryst. 1991, **C47**, 550–553.
- 305.** The derivation of results
W. Clegg.
B. C. A. Intensive School, Aston University 1991, unnumbered pages.
- 306.** The interpretation of results
W. Clegg.
B. C. A. Intensive School, Aston University 1991, unnumbered pages.
- 307.** The presentation of results
W. Clegg.
B. C. A. Intensive School, Aston University 1991, unnumbered pages.
- 308.** Preparation of salts of the 5,5'-(1,4-phenylene)bis(1,3,2,4-dithiadiazolyl) dication and of its 1,2- and 1,3-phenylene analogues. Preparation and crystal structure of the stacked, neutral 5,5'-(1,4-phenylene)bis(1,3,2,4-dithiadiazole)
A. J. Banister, J. M. Rawson, W. Clegg and S. L. Birkby.
J. Chem. Soc. Dalton Trans. 1991, 1099–1104.
- 309.** Preparation, crystal structure and extended-Hückel molecular-orbital study of the free-radical complex $[\text{Ni}_2(\text{cp})_2(\text{PhCN}_2\text{S}_2)]$ ($\text{cp} = \eta\text{-C}_5\text{H}_5$)
A. J. Banister, I. B. Gorrell, W. Clegg and K. A. Jørgensen.
J. Chem. Soc. Dalton Trans. 1991, 1105–1109.
- 310.** A new type of structure in sodium amide ring chemistry: crystal structure of $[\text{PhCH}_2(\text{Me})\text{NNa}(\text{tmida})]_2$ showing a buckled, rather than the normal planar, $(\text{NNa})_2$ cyclic ring, with a *cisoid*, rather than the normal *transoid*, arrangement of amido-substituents ($\text{tmida} =$ tetramethyleneethylenediamine)
P. C. Andrews, D. R. Armstrong, W. Clegg, M. MacGregor and R. E. Mulvey.
J. Chem. Soc. Chem. Commun. 1991, 497–498.
- 311.** Phenylsulphonyloxiranes as functionalised acyl anion equivalents in organic synthesis
M. Ashwell, W. Clegg and R. F. W. Jackson.
J. Chem. Soc. Perkin Trans. 1 1991, 897–908.
- 312.** *trans*-Bis[(thiocyanato-*S*)(1-methylimidazoline-2(3*H*)-thione)- μ_2 -(1-methylimidazoline-2(3*H*)-thione)copper(I)]; preparation, thermal analysis and crystal structure
E. S. Raper and W. Clegg.
Inorg. Chim. Acta 1991, **180**, 239–244.

- 313.** Structures of three photochromic compounds and three non-photochromic derivatives; the effect of methyl substituents
 W. Clegg, N. C. Norman, T. Flood, L. Sallans, W. S. Kwak, P. L. Kwiatkowski and J. G. Lasch.
Acta Cryst. 1991, **C47**, 817–824.
- 314.** Preparation and crystal structure of the unprecedented octameric zinc-aminothiolate complex $[Zn_8\{S(CH_2)_3NMe_2\}_{16}]$
 I. Casals, W. Clegg and P. González-Duarte.
J. Chem. Soc. Chem. Commun. 1991, 655–656.
- 315.** tetrahedro-[Tetrakis{(1-methylimidazoline-2(3H)-thionato)copper(I)}]: electrochemical synthesis, thermal analysis, cyclic voltammetry and crystal structure
 E. S. Raper, J. R. Creighton and W. Clegg.
Inorg. Chim. Acta 1991, **183**, 179–187.
- 316.** Preparation of complexes of the 3-trimethylammonio-1-propanethiolato ligand, $[M\{S(CH_2)_3NMe_3\}_2](PF_6)_2$, M = Zn, Cd, Hg. Crystal structures of monomeric and polymeric forms of the mercury complex
 I. Casals, P. González-Duarte and W. Clegg.
Inorg. Chim. Acta 1991, **184**, 167–175.
- 317.** Crystal structures of three basic zinc carboxylates together with infrared and FAB mass spectrometry studies in solution
 W. Clegg, D. R. Harbron, C. D. Homan, P. A. Hunt, I. R. Little and B. P. Straughan.
Inorg. Chim. Acta 1991, **186**, 51–60.
- 318.** Synthetic and structural studies on group 13 complexes containing the $M(CO)_3(\eta-C_5H_5)$ fragment (M = Cr or Mo). Part 1. Complexes $[E\{M(CO)_3(\eta-C_5H_5)\}_3]$ (E = In or Tl)
 L. M. Clarkson, W. Clegg, D. C. R. Hockless, N. C. Norman and T. B. Marder.
J. Chem. Soc. Dalton Trans. 1991, 2229–2239.
- 319.** Synthetic and structural studies on group 13 complexes containing the $M(CO)_3(\eta-C_5H_5)$ fragment (M = Cr or Mo). Part 2. Complexes $[InCl_x\{M(CO)_3(\eta-C_5H_5)\}_2]^{n-}$ ($x = 1$, $n = 0$; $x = 2$, $n = 1$)
 L. M. Clarkson, W. Clegg, D. C. R. Hockless, N. C. Norman, L. J. Farrugia, S. G. Bott and J. L. Atwood.
J. Chem. Soc. Dalton Trans. 1991, 2241–2252.
- 320.** Control of diastereofacial selectivity in the nucleophilic epoxidation of γ -oxygenated- α,β -unsaturated sulphones
 R. F. W. Jackson, S. P. Standen and W. Clegg.
Tet. Letters 1991, **32**, 5393–5396.
- 321.** Isostructural potassium and sodium di-nitrogen functionalized amides: syntheses and crystal structures of $[Ph(2-Pyr)NK \cdot TMEDA]_2$ and $[Me(2-Pyr)NNa \cdot TMEDA]_2$
 P. C. Andrews, D. R. Baker, R. E. Mulvey, W. Clegg and P. A. O'Neil.
Polyhedron 1991, **10**, 1839–1841.
- 322.** Synthesis and structures of tetranuclear 2-(dimethylamino)ethanethiolato complexes of zinc, cadmium and mercury involving both primary and secondary metal–halogen bonding
 I. Casals, P. González-Duarte, W. Clegg, C. Foces-Foces, F. H. Cano, M. Martínez-Rippoll, M. Gómez and X. Solans.
J. Chem. Soc. Dalton Trans. 1991, 2511–2518.
- 323.** Crystal structure of lithium diisopropylamide (LDA): an infinite helical arrangement composed of near-linear N–Li–N units with four units per turn of helix
 N. D. R. Barnett, R. E. Mulvey, W. Clegg and P. A. O'Neil.
J. Am. Chem. Soc. 1991, **113**, 8187–8188.

- 324.** A mononuclear tert-butylimido complex of niobium(V). X-ray crystal structure of $[\text{Ph}_3\text{PCH}_2\text{Ph}][\text{Nb}(\text{NBu}^t)\text{Cl}_4(\text{py})]\cdot\text{CH}_2\text{Cl}_2$
W. Clegg, R. J. Errington, D. C. R. Hockless and C. Redshaw.
Polyhedron 1991, **10**, 1959–1961.
- 325.** Competitive ligand C–H bond activations: ring- and phosphine-metallated forms of $(\text{C}_5\text{Me}_5)\text{Ta}(\text{PMe}_3)_2$
V. C. Gibson, T. P. Kee, S. T. Carter, R. D. Sanner and W. Clegg.
J. Organomet. Chem. 1991, **418**, 197–217.
- 326.** A phosphine complex of bismuth(III): X-ray crystal structure of $[\text{PMe}_3\text{H}][\text{Bi}_2\text{Br}_7(\text{PMe}_3)_2]$
W. Clegg, R. J. Errington, G. A. Fisher, M. E. Green, D. C. R. Hockless and N. C. Norman.
Chem. Ber. 1991, **124**, 2457–2459.
- 327.** Dibismuth as a four-electron donor ligand. Synthesis and molecular and electronic structure of $[\text{M}_2(\text{CO})_4(\eta\text{-C}_5\text{H}_4\text{Me})_2(\mu\text{-}\eta^2\text{-Bi}_2)]$ ($\text{M} = \text{Mo}$ or W)
W. Clegg, N. A. Compton, R. J. Errington, G. A. Fisher, N. C. Norman and T. B. Marder.
J. Chem. Soc. Dalton Trans. 1991, 2887–2895.
- 328.** 4-Oxo-5-phenyl-2,3-dihydro-3a-azaphenalen-6-yl benzenesulfonate
E. S. Raper, J. R. Creighton, S. P. Stanforth and W. Clegg.
Acta Cryst. 1991, **C47**, 2503–2505.
- 329.** X-ray crystal structure of $[\text{Bi}(\text{NMe}_2)_3]$
W. Clegg, N. A. Compton, R. J. Errington, G. A. Fisher, M. E. Green, D. C. R. Hockless and N. C. Norman.
Inorg. Chem. 1991, **30**, 4680–4682.
- 330.** Preparation of 2-halogeno *S*-phenyl thioesters from 2-phenylsulphonyl-2-phenylthiooxiranes. Crystal structures of 2-phenylsulphonyloxiranes
C. T. Hewkin, R. F. W. Jackson and W. Clegg.
J. Chem. Soc. Perkin Trans. 1 1991, 3091–3101.
- 331.** Novel silicon-containing hydrocarbon rings and polymers via metathesis: X-ray crystal structure of *cis,cis*-1,1,6,6,-tetraphenyl-1,6-disilacyclodeca-3,8-diene
J. T. Anhaus, W. Clegg, S. P. Collingwood and V. C. Gibson.
J. Chem. Soc. Chem. Commun. 1991, 1720–1722.
- 332.** Dilithiation of a primary amine: synthesis and structure of $[(\alpha\text{-Naphthyl-NLi}_2)_{10}(\text{Et}_2\text{O})_6]\cdot\text{Et}_2\text{O}$, a paramagnetic Li_{20} aggregate
D. R. Armstrong, D. Barr, W. Clegg, S. R. Drake, R. J. Singer, R. Snaith, D. Stalke and D. S. Wright.
Angew. Chem. Internat. Edit. Engl. 1991, **30**, 1707–1709.