

## PUBLICATIONS: W. CLEGG 1998

- 552.** A 3:1 mixed aggregate of diphenylamidolithium with lithium chloride: crystal structure of  $[(\text{Ph}_2\text{NLi})_3\text{LiCl}\cdot 3\text{tmen}]$  ( $\text{tmen} = N,N,N',N'$ -tetramethylethylenediamine)  
W. Clegg, A. J. Edwards, F. S. Mair and P. M. Nolan.  
*Chem. Commun.* 1998, 23–24.
- 553.** Structure of templated microcrystalline DAF-5 ( $\text{Co}_{0.28}\text{Al}_{0.72}\text{PO}_4\text{C}_{10}\text{H}_{20}\text{N}_2$ ) determined by synchrotron-based diffraction methods  
G. Sankar, J. K. Wyles, R. H. Jones, J. M. Thomas, C. R. A. Catlow, D. W. Lewis, W. Clegg, S. J. Coles and S. J. Teat.  
*Chem. Commun.* 1998, 117–118.
- 554.** Boron–boron bond oxidative addition to rhodium(I) and iridium(I) centres  
W. Clegg, F. J. Lawlor, T. B. Marder, P. Nguyen, N. C. Norman, A. G. Orpen, M. J. Quayle, C. R. Rice, E. G. Robins, A. J. Scott, F. E. S. Souza, G. Stringer and G. R. Whittell.  
*J. Chem. Soc. Dalton Trans.* 1998, 301–309.
- 555.** New alkali metal primary amide ladder structures derived from  $t\text{BuNH}_2$ : building cisoid and transoid ring conformations into ladder frameworks  
W. Clegg, K. W. Henderson, L. Horsburgh, F. M. Mackenzie and R. E. Mulvey.  
*Chem. Eur. J.* 1998, **4**, 53–56.
- 556.** Organically templated layered uranium(VI) phosphates: hydrothermal syntheses and structures of  $[\text{NHEt}_3][(\text{UO}_2)_2(\text{PO}_4)(\text{HPO}_4)]$  and  $[\text{NPr}_4][(\text{UO}_2)_3(\text{PO}_4)(\text{HPO}_4)_2]$   
R. J. Francis, M. J. Drewitt, P. S. Halasyamani, C. Ranganathachar, D. O'Hare, W. Clegg and S. J. Teat.  
*Chem. Commun.* 1998, 279–280.
- 557.** Coordination of Zn(II), Cd(II), Hg(II), and Ag(I) by bis(benzimidazole) ligands  
C. J. Matthews, W. Clegg, S. L. Heath, N. C. Martin, M. N. S. Hill and J. C. Lockhart.  
*Inorg. Chem.* 1998, **37**, 199–207.
- 558.** The first stable copper(II) complex containing four sulfide ligands: synthesis and structural characterization of  $[\text{Pt}_2(\text{dppe})_2(\mu\text{-S})_2]$  and  $[\text{Cu}\{\text{Pt}_2(\text{dppe})_2(\mu_3\text{-S})_2\}_2]^{2+}$   
M. Capdevila, Y. Carrasco, W. Clegg, R. A. Coxall, P. González-Duarte, A. Lledós, J. Sola and G. Ujaque.  
*Chem. Commun.* 1998, 597–598.
- 559.** Tandem hetero-catenation: templating and self-assembly in the mutual closure of two different interlocking rings  
D. G. Hamilton, N. Feeder, L. Prodi, S. J. Teat, W. Clegg and J. K. M. Sanders.  
*J. Am. Chem. Soc.* 1998, **120**, 1096–1097.
- 560.** Unprecedented polycrystal structure of a new cadmium thiolate containing an unusually highly charged  $[\text{ClCd}_8\{\text{SCH}(\text{CH}_2\text{CH}_2)_2\text{N}(\text{H})\text{Me}\}]^{15+}$  core  
P. González-Duarte, W. Clegg, I. Casals, J. Sola and J. Rius.  
*J. Am. Chem. Soc.* 1998, **120**, 1260–1266.
- 561.** Diphenylzirconocene  
W. Clegg, L. Horsburgh, D. M. Lindsay and R. E. Mulvey.  
*Acta Cryst.* 1998, **C54**, 315–317.
- 562.** A highly  $\pi$ -stacked organic semiconductor for thin film transistors based on fused thiophenes  
X.-C. Li, H. Sirringhaus, F. Garnier, A. B. Holmes, S. C. Moratti, N. Feeder, W. Clegg, S. J. Teat and R. H. Friend.  
*J. Am. Chem. Soc.* 1998, **120**, 2206–2207.

- 563.** Oxidative addition of boron–boron, boron–chlorine and boron–bromine bonds to platinum(0)  
 W. Clegg, F. J. Lawlor, G. Lesley, T. B. Marder, N. C. Norman, A. G. Orpen, M. J. Quayle,  
 C. R. Rice, A. J. Scott and F. E. S. Souza.  
*J. Organomet. Chem.* 1998, **550**, 183–192.
- 564.** A structural and theoretical study of the monolithiation of hydroxylamines  
 D. R. Armstrong, W. Clegg, S. M. Hodgson, R. Snaith and A. E. H. Wheatley.  
*J. Organomet. Chem.* 1998, **550**, 233–240.
- 565.** Organophosphonate derivatives of titanium and niobium alkoxoanions  
 R. J. Errington, J. Ridland, K. J. Willett, W. Clegg, R. A. Coxall and S. L. Heath.  
*J. Organomet. Chem.* 1998, **550**, 473–476.
- 566.** [cyclo{tetrakis- $\mu_3$ ( $\eta^2$ -S,  $\eta^1$ -N)-(1,3-thiazolidine-2-thionato)-bis-( $\eta^1$ -S)-(1,3-thiazolidine-2-thione)-tetracopper(I)}]: electrochemical synthesis, characterisation and crystal structure at 160K  
 E. S. Raper, J. R. Creighton, W. Clegg and L. Cucurull-Sánchez.  
*Inorg. Chim. Acta* 1998, **271**, 57–64.
- 567.** The first structural studies on trithiocyanuric acid: the solid state structures of its HMPA adduct and its mono-lithiated HMPA complex  
 W. Clegg, J. E. Davies, M. R. J. Elsegood, E. Lamb, J. J. Longridge, J. M. Rawson, R. Snaith and A. E. H. Wheatley.  
*Inorg. Chem. Commun.* 1998, **1**, 58–60.
- 568.**  $\beta$ -Diketonate derivatives of titanium alkoxides: X-ray crystal structures and solution dynamics of the binuclear complexes  $[\{\text{Ti}(\text{OR})_3(\text{dik})\}_2]$   
 R. J. Errington, J. Ridland, W. Clegg, R. A. Coxall and J. M. Sherwood.  
*Polyhedron* 1998, **17**, 659–674.
- 569.** Synthesis and structure of the novel octolithium-dipotassium mixed oxide-alkoxide cage complex  $[\text{Li}_8\text{K}_2(\text{O})(\text{Bu}^\ddagger\text{O})_8 \cdot 2\text{TMEDA}]$   
 F. M. Mackenzie, R. E. Mulvey, W. Clegg and L. Horsburgh.  
*Polyhedron* 1998, **17**, 993–998.
- 570.** Alkaline earth diazapentadienyl compounds: structure of  $[\text{Ba}_2\{(\text{C}_6\text{H}_{11})\text{NC}(\text{Me})\text{CHC}(\text{Me})\text{N}(\text{C}_6\text{H}_{11})\}_3\{(\text{SiMe}_3)_2\text{N}\}]$   
 W. Clegg, S. J. Coles, E. K. Cope and F. S. Mair.  
*Angew. Chem. Internat. Edit. Engl.* 1998, **37**, 796–798.
- 571.** Reactions of mercury(II) with 2-pyridinecarboxylic and 6-methyl-2-pyridinecarboxylic acids and corresponding esters. Crystal structures of  $[\text{Hg}(\text{C}_5\text{H}_4\text{NCOO})_2]$ ,  $[\text{HgX}_2(\text{C}_5\text{H}_4\text{NCOOPr}^\ddagger)]$ , X = Br or I and  $[\text{HgCl}_2(\text{MeC}_5\text{H}_3\text{NCOOEt})]$   
 P. González-Duarte, À. Leiva, R. March, J. Pons, W. Clegg, X. Solans, A. Álvarez-Larena and J. F. Piniella.  
*Polyhedron* 1998, **17**, 1591–1600.
- 572.** Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete  $(\text{KN})_2$  ring dimer with TMEDA chelation and short intramolecular  $\text{K}(\cdots)\text{H}(\text{C})$  contacts  
 W. Clegg, S. Kleditzsch, R. E. Mulvey and P. O'Shaughnessy.  
*J. Organomet. Chem.* 1998, **558**, 193–196.
- 573.** Platinum-catalysed 1,4-diboration of 1,3-dienes  
 W. Clegg, T. R. F. Johann, T. B. Marder, N. C. Norman, A. G. Orpen, T. M. Peakman, M. J. Quayle, C. R. Rice and A. J. Scott.  
*J. Chem. Soc. Dalton Trans.* 1998, 1431–1438.

- 574.** A novel, internally-solvated phosphinomethanide; crystal structure of  $\text{Li}[\text{C}(\text{SiMe}_3)_2\{\text{P}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2-2)_2\}]$   
 W. Clegg, S. Doherty, K. Izod and P. O'Shaughnessy.  
*Chem. Commun.* 1998, 1129–1130.
- 575.** Synthesis and solid-state structures of three magnesium diamide complexes derived from  $\text{RN}(\text{H})\text{CH}_2\text{CH}_2\text{N}(\text{H})\text{R}$  diamine precursors ( $\text{R} = \text{Ph}$  or  $\text{PhCH}_2$ )  
 W. Clegg, L. Horsburgh, R. E. Mulvey, M. J. Ross, R. B. Rowlings and V. Wilson.  
*Polyhedron* 1998, **17**, 1923–1930.
- 576.** Structural characterization of  $[2, 6-\text{Pr}^i_2\text{C}_6\text{H}_3)\text{NC}(\text{Me})\text{C}(\text{H})\text{C}(\text{Me})\text{N}(2, 6-\text{Pr}^i_2\text{C}_6\text{H}_3)\text{K}\cdot\text{PhCH}_3]_\infty$ : a heavy alkali metal diazapentadienyl complex  
 W. Clegg, E. K. Cope, A. J. Edwards and F. S. Mair.  
*Inorg. Chem.* 1998, **37**, 2317–2319.
- 577.** 4-Cyano-4'-( $(4R)$ -4,5-epoxypentyloxy)biphenyl: a pseudosymmetry problem solved with synchrotron data  
 W. Clegg, S. J. Coles, I. A. Fallis, P. M. Griffiths and S. J. Teat.  
*Acta Cryst.* 1998, **C54**, 882–885.
- 578.** Complexes of heterocyclic thiones and group twelve metals. Part 1. Preparation and characterisation of 1:1 complexes of mercury(II) halides with 1-methylimidazoline-2(3H)-thione: the crystal structure of  $[(\mu_2\text{-dibromo})\text{bis}(\text{trans}\{\text{(bromo)(1-methyl-imidazoline-2(3H)-thione)}\})\text{mercury(II)}]$  at 160 K  
 E. S. Raper, J. R. Creighton, N. A. Bell, W. Clegg and L. Cucurull-Sánchez.  
*Inorg. Chim. Acta* 1998, **277**, 14–20.
- 579.** Preparation, structure, and properties of the arsenic-containing corner-shared double cube  $[\text{Mo}_6\text{AsS}_8(\text{H}_2\text{O})_{18}]^{8+}$ : metal—metal bonding and a classification of different cluster types  
 R. Hernandez-Molina, A. J. Edwards, W. Clegg and A. G. Sykes.  
*Inorg. Chem.* 1998, **37**, 2989–2994.
- 580.** Preparation, structure, and reactivity of heterometallic Sn-containing single- and double-cube derivatives of  $[\text{Mo}_3\text{Se}_4(\text{H}_2\text{O})_9]^{4+}$  and  $[\text{W}_3\text{Se}_4(\text{H}_2\text{O})_9]^{4+}$   
 R. Hernandez-Molina, D. N. Dybtsev, V. P. Fedin, M. R. J. Elsegood, W. Clegg and A. G. Sykes.  
*Inorg. Chem.* 1998, **37**, 2995–3001.
- 581.** Response to steric constraint in azacryptate and related complexes of iron-(II) and -(III)  
 F. A. Deeney, C. J. Harding, G. G. Morgan, V. McKee, J. Nelson, S. J. Teat and W. Clegg.  
*J. Chem. Soc. Dalton Trans.* 1998, 1837–1843.
- 582.** Differential binding of a facultative tridentate ligand 4-(benzimidazol-2-yl)-3-thiabutanoic acid to  $\text{Cu}^{\text{II}}$  and  $\text{Ni}^{\text{II}}$   
 C. J. Matthews, S. L. Heath, M. R. J. Elsegood, W. Clegg, T. A. Leese and J. C. Lockhart.  
*J. Chem. Soc. Dalton Trans.* 1998, 1973–1977.
- 583.** Mono-, di- and tri-dentate binding modes of a substituted isocytosine derivative in complexes of palladium and zinc  
 C. Price, N. H. Rees, M. R. J. Elsegood, W. Clegg and A. Houlton.  
*J. Chem. Soc. Dalton Trans.* 1998, 2001–2006.
- 584.** Bis(adamantylimido) complexes of chromium(VI)  
 M. P. Coles, V. C. Gibson, W. Clegg and M. R. J. Elsegood.  
*Polyhedron* 1998, **17**, 2483–2489.

- 585.** Structure directing effects of different templates on the packing arrangements of the polyoxomolybdenum(V) organophosphonate ion  $\{\text{Na}[\text{Mo}_6\text{O}_{12}(\text{OH})_3(\text{O}_3\text{PC}_6\text{H}_5)_4]_2\}^{9-}$   
 A. Gammersbach, P. Angenault, W. F. Hölderich, W. Clegg and M. R. J. Elsegood.  
*Polyhedron* 1998, **17**, 2535–2541.
- 586.** Polyhedral azaborane chemistry. Nitrogen-vertex incorporation in metallaazaborane formation from 4-(NHEt<sub>2</sub>)B<sub>9</sub>H<sub>13</sub>. Two isomers of  $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhB}_9\text{H}_{12}(\text{NEt}_2)]$   
 U. Dörfler, W. Clegg, J. D. Kennedy and M. Thornton-Pett.  
*J. Chem. Soc. Dalton Trans.* 1998, 2353–2358.
- 587.** Nanoscale cages of manganese and nickel with “rock salt” cores  
 E. K. Brechin, W. Clegg, M. Murrie, S. Parsons, S. J. Teat and R. E. P. Winpenny.  
*J. Am. Chem. Soc.* 1998, **120**, 7365–7366.
- 588.** Transformation of dimetallacyclopentanes into  $\beta$ -substituted enamine-, alkylidene-, and  $\alpha, \beta$ -unsaturated acyl-bridged diiron complexes  
 S. Doherty, G. Hogarth, M. R. J. Elsegood, W. Clegg, N. H. Rees and M. Waugh.  
*Organometallics* 1998, **17**, 3331–3345.
- 589.** Solvent effects and molecular rearrangements during the reaction of Hauser bases with enolisable ketones: structural characterization of  $[(\text{Bu-t})\text{C}(\text{=CH}_2)\text{OMgBr}\cdot\text{HMPA}]_2$  and  $[\text{MgBr}_2\cdot(\text{HMPA})_2]$   
 J. F. Allan, W. Clegg, K. W. Henderson, L. Horsburgh and A. R. Kennedy.  
*J. Organomet. Chem.* 1998, **559**, 173–179.
- 590.** Polymerization of ethylene by the electrophilic mixed cyclopentadienylpyridylalkoxide complexes  $[\text{CpM}\{\text{NC}_5\text{H}_4(\text{CR}_2\text{O})\text{-2}\}\text{Cl}_2]$  (M = Ti, Zr, R = Ph, Pr<sup>i</sup>)  
 S. Doherty, R. J. Errington, A. P. Jarvis, S. Collins, W. Clegg and M. R. J. Elsegood.  
*Organometallics* 1998, **17**, 3408–3410.
- 591.** Bifunctional Lewis acids. Synthesis and olefin polymerization chemistry of the 1,1-di[bis(perfluorophenyl)boryl]alkenes  $\text{RCH}=\text{C}[\text{B}(\text{C}_6\text{F}_5)_2]_2$  (R = t-Bu, C<sub>6</sub>H<sub>5</sub>, C<sub>6</sub>F<sub>5</sub>)  
 K. Köhler, W. E. Piers, A. P. Jarvis, S. Xin, Y. Feng, A. M. Bravakis, S. Collins, W. Clegg, G. P. A. Yap and T. B. Marder.  
*Organometallics* 1998, **17**, 3557–3566.
- 592.** Preparation, structure and properties of three  $[\text{Mo}_x\text{W}_{4-x}\text{S}_4(\text{H}_2\text{O})_{12}]^{5+}$  ( $x = 1\text{--}3$ ) and  $[\text{MoW}_3\text{Se}_4(\text{H}_2\text{O})_{12}]^{5+}$  cuboidal complexes alongside  $[\text{Mo}_4\text{S}_4(\text{H}_2\text{O})_{12}]^{5+}$  and  $[\text{Mo}_4\text{Se}_4(\text{H}_2\text{O})_{12}]^{5+}$   
 I. J. McLean, R. Hernandez-Molina, M. N. Sokolov, M.-S. Seo, A. V. Virovets, M. R. J. Elsegood, W. Clegg and A. G. Sykes.  
*J. Chem. Soc. Dalton Trans.* 1998, 2557–2562.
- 593.** SSZ-23: an odd zeolite with pore openings of seven and nine tetrahedral atoms  
 M. A. Camblor, M.-J. Díaz-Cabañas, J. Pérez-Pariente, S. J. Teat, W. Clegg, I. J. Shannon, P. Lightfoot, P. A. Wright and R. E. Morris.  
*Angew. Chem. Internat. Edit. Engl.* 1998, **37**, 2122–2126.
- 594.** Supramolecular metallocalixarene chemistry: linking metallocalixarenes through imido bridges  
 V. C. Gibson, C. Redshaw, W. Clegg and M. R. J. Elsegood.  
*Chem. Commun.* 1998, 1969–1970.
- 595.** Rhodium catalysed diboration of unstrained internal alkenes and a new and general route to zwitterionic  $[\text{L}_2\text{Rh}(\eta^6\text{-catBcat})]$  (cat = 1,2-O<sub>2</sub>C<sub>6</sub>H<sub>4</sub>) complexes  
 C. Dai, E. G. Robins, A. J. Scott, W. Clegg, D. S. Yufit, J. A. K. Howard and T. B. Marder.  
*Chem. Commun.* 1998, 1983–1984.

- 596.** A novel titanium-oxygen ladder structure supported by calix[4]arene ligands, characterised by synchrotron crystallography  
W. Clegg, M. R. J. Elsegood, S. J. Teat, C. Redshaw and V. C. Gibson.  
*J. Chem. Soc. Dalton Trans.* 1998, 3037–3040.
- 597.** Conformational variations in vinylsulfoximines  
A. D. Briggs, W. Clegg, M. R. J. Elsegood, C. S. Frampton and R. F. W. Jackson.  
*Acta Cryst.* 1998, **C54**, 1335–1341.
- 598.** Synthesis of  $\text{Rb}_3\text{Sc}_2(\text{AsO}_4)_3$  and its structure determination by synchrotron single crystal methods  
W. T. A. Harrison, M. L. F. Phillips, W. Clegg and S. J. Teat.  
*J. Solid State Chem.* 1998, **139**, 299–303.
- 599.** Macropolyhedral boron-containing cluster chemistry. Mixed and multiple cluster fusion in platinaborane chemistry and the structure of  $[(\text{PMe}_2\text{Ph})_2\text{PtB}_{16}\text{H}_{17}\text{PtB}_{10}\text{H}_{11}(\text{PMe}_2\text{Ph})]$  as determined by synchrotron X-ray diffraction analysis  
J. Bould, W. Clegg, J. D. Kennedy and S. J. Teat.  
*J. Chem. Soc. Dalton Trans.* 1998, 2777–2778.
- 600.** Synthesis, crystal structure, and electronic structure of a 5,15-dialkylidinoporphyrin: a TCNQ/porphyrin hybrid  
I. M. Blake, H. L. Anderson, D. Beljonne, J.-L. Brédas and W. Clegg.  
*J. Am. Chem. Soc.* 1998, **120**, 10764–10765.
- 601.** Alkali metal-1-azaallyl complexes: X-ray crystallographic, NMR spectroscopic and *ab initio* calculational studies  
D. R. Armstrong, W. Clegg, L. Dunbar, S. T. Liddle, M. MacGregor, R. E. Mulvey, D. Reed and S. A. Quinn.  
*J. Chem. Soc. Dalton Trans.* 1998, 3431–3436.
- 602.** Structural studies of bis-catecholate, bis-dithiocatecholate, and tetraalkoxy diborane(4) compounds  
W. Clegg, M. R. J. Elsegood, F. J. Lawlor, N. C. Norman, N. L. Pickett, E. G. Robins, A. J. Scott, P. Nguyen, N. J. Taylor and T. B. Marder.  
*Inorg. Chem.* 1998, **37**, 5289–5293.
- 603.** Crystal structure of an azo dye rotaxane  
S. Anderson, W. Clegg and H. L. Anderson.  
*Chem. Commun.* 1998, 2379–2380.
- 604.** Synthesis and structure of the novel heptolithiumtetrarubidium mixed alkoxide peroxide  $[\{(\text{Bu}^t\text{OLi})_5(\text{Bu}^t\text{ORb})_4(\text{Li}_2\text{O}_2)\cdot 2\text{tmida}\}]_\infty$ : twenty-two vertex cage molecules linked by Rb-TMEDA-Rb bridges  
W. Clegg, A. M. Drummond, R. E. Mulvey and S. T. Liddle.  
*Chem. Commun.* 1998, 2391–2392.
- 605.** 1,2,3,5-Tetrakis(diphenylthiophosphino)benzene: n.m.r. and X-ray diffraction studies of a markedly distorted aromatic molecule  
W. Clegg, A. J. Edwards, H. C. E. McFarlane and W. McFarlane.  
*Polyhedron* 1998, **17**, 3515–3518.
- 606.** Unusual carbonyl and pentamethylcyclopentadienyl bonding modes in mixed rhodium-ruthenium clusters  
W. Clegg, N. Feeder, S. Nahar, P. R. Raithby, G. P. Shields and S. J. Teat.  
*New J. Chem.* 1998, 1111–1117.

- 607.** Alkali-metal-mediated coupling of a phosphorus-substituted alkene. Structural characterization of dilithium 1,1,4,4-tetrakis(diphenylphosphino)butane-1,4-diide  
W. Clegg, K. Izod, W. McFarlane and P. O'Shaughnessy.  
*Organometallics* 1998, **17**, 5231–5232.
- 608.** Salts of the bis(catecholato)borate anion with organic cations  
W. Clegg, A. J. Scott, F. J. Lawlor, N. C. Norman, T. B. Marder, C. Dai and P. Nguyen.  
*Acta Cryst.* 1998, **C54**, 1875–1880.
- 609.** An oxidatively coupled dimer of paracetamol  
W. Clegg, S. J. Teat, K. V. R. Prasad, R. I. Ristic, D. B. Sheen, E. A. Shepherd, J. N. Sherwood and R. M. Vrcelj.  
*Acta Cryst.* 1998, **C54**, 1881–1882.
- 610.** Ferrocenylmethylphosphonate formation. Synthesis, spectroscopy and molecular structure  
C. J. Isaac, M. R. J. Elsegood, W. Clegg, N. H. Rees, B. R. Horrocks and A. Houlton.  
*Polyhedron* 1998, **17**, 3817–3823.
- 611.** Synthesis, characterisation, reactivity and X-ray crystal structure of a mixed-ligand  $\eta^1$ -salicylaldehyde complex of Mn(III)  
T. Gupta, M. K. Saha, S. Sen, S. Mitra, A. J. Edwards and W. Clegg.  
*Polyhedron* 1998, **18**, 197–201.
- 612.** The preparation and coordination chemistry of substituted benzenethiols. Triphenylphosphine gold(I) complexes of sterically demanding and nondemanding arenethiols. The absence of gold(I)—gold(I) interactions  
L. S. Ahmed, W. Clegg, D. A. Davies, J. R. Dilworth, M. R. J. Elsegood, D. V. Griffiths, L. Horsburgh, J. R. Miller and N. Wheatley.  
*Polyhedron* 1998, **18**, 593–600.
- 613.** The synthesis and solid-state and solution structures of an unprecedented mixed chiral  $\alpha$ -amino lithium alkoxide–lithium alkoxide aggregate  
W. Clegg, S. T. Liddle, R. Snaith and A. E. H. Wheatley.  
*New J. Chem.* 1998, 1323–1326.
- 614.** Palladium(II) complexes with  $\text{Pd}_2\text{S}_2$  rings. Synthesis and theoretical characterization of  $[\text{Pd}_2(\text{dppe})_2(\mu\text{-S})_2]$  and X-ray characterization of  $[\text{Pd}_3(\text{dppe})_3(\mu\text{-S})_2]\text{Cl}_2$   
M. Capdevila, W. Clegg, R. A. Coxall, P. González-Duarte, M. Hamidi, A. Lledós and G. Ujaque.  
*Inorg. Chem. Commun.* 1998, **1**, 466–468.
- 615.** Metallo-based cyclophanes and [2]catenanes. Towards molecular-scale functional assemblies  
A. C. Benniston, P. R. Mackie, L. J. Farrugia, S. Parsons, W. Clegg and S. J. Teat.  
*Platinum Metals Rev.* 1998, **42**, 100–105.